


PROJECT :
DATE :
AREA :
TYPE :

PRODUCT SPECIFICATION

Model No.	: IA10447-1700
Materials	: Aluminium housing
	: Finished in polyester powder coated
Lamp	: SMD LED Up 10W
Socket	: -
Color Temperature	: 2700K/3000K/4000K/6500K
Beam Angle	: 120°
Luminous Flux	: Up 760lm / Down track rail
CRI	: Ra≥90
Working Temperature	: -20°C - +40°C
Transformer Availability	: Included
Transformer Mounting	: Integral
Aiming	: Directional
Optic Direction	: Fixed
Light Distribution	: Symmetric
Lamp Lifetime	: 40000 Hrs
Dimension	: L: 1718 x W: 46 x H: 53 mm
Mounting	: Suspension
Finishing Color	: Yellow/Grey/Dark grey/Black/Customized
Cut-Off Angle	: -
Control Method	: DC 48V
Dimmable System	: Non-dim/0-10V/Triac/DALI
IP Rating	: IP20
Accessories	: -
Remarks	: -




ModelPH-PL- 04642-1700-SL

SupplierPINGHAO

Standard price24500

Standard Cost

ครบชุด Non dim



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BE
IA10447	Aluminium	SMD	Up 10W / Down track rail	L1240xW46xH53	2700K /3000K /4000K /6500K	Up 760 / Down track rail	
			Up 10W / Down track rail	L1490xW46xH53			
			Up 10W / Down track rail	L1718xW46xH53			
			Up 10W / Down track rail	L1945xW46xH53			



AM ANGLE	COLOR	PRICE
120°	White/ Yellow/ Black	14,000.00
		19,500.00
		24,500.00
		29,900.00