


CATALOGUE
v o l . 2

PROJECT REFERENCE



BENZ VIPAWADEE
Interior Designer
KIREN ARCHITECTS & ASSOCIATES





หอแว่น
 INTERIOR DESIGNER :
 MARCHTEN, CO., LTD
 LIGHTING DESIGN BY LIGHT UP (LTS)



PRIVATE RESIDENCE


PRIVATE RESIDENCE SUKHUMVIT



PRIVATE RESIDENCE



ORIGIN PLAY SRI UDOM
INTERIOR 15 DEGREE STUDIO





INDOOR

MAGNETIC TRACK



P.21



P.23



P.23



P.25



P.27



P.27



P.27



P.30



P.30



P.30



P.39



P.40



P.42



P.43




P.44



P.45



P.46



P.49



P.50




P.51



P.51



P.52




P.52




P.52



P.52



P.52



P.52



P.53



P.53



SERA

P.58



EMBER

P.58



SILK1

P.59



SILK2

P.59



LITE 1

P.61




LITE 5

P.61



LITE 3

P.61



SILK

P.62



HALO

P.65



FORCE

P.66



FORCE

P.66



FORCE

P.67



FORCE

P.67



W3

P.70



DEX

P.71



SYNC

P.73



SYNC

P.73



EVO

P.74



EVO

P.74



EVO

P.74



EVO

P.74



FREEZE RT

P.75



FREEZE RW

P.75



SOURCE

P.75




START

P.76




SLICK R

P.77















SLICK S

P.77




OUTDOOR


LUMA DOT  P.157	LUMA S  P.157	LUMA O  P.158	LUMA IO  P.158	LUMA I  P.159	LUMA L  P.159	LUMA RING 2  P.159	GLOW R  P.161
GLOW S  P.161	GLOW HALF R  P.162	GLOW HALF S  P.162	VERTA  P.163	VERTA  P.163	ROLLER R1  P.164	ROLLER R2  P.164	ROLLER S1  P.165
ROLLER S2  P.165	SIREN  P.167	NASH  P.168	SAIL  P.169	TILT  P.170	BLAKE  P.170	MARCO  P.170	QUINN  P.171
HUB  P.171	HUSK  P.172	REGENT  P.173	MOONLIT  P.174	ZEN  P.174	OWL  P.175	WILLOW  P.176	HAY  P.177
FUZION  P.179	CLAP  P.180	URBAN 2.5  P.181	URBAN 6  P.181	CIVIC  P.182	MILL  P.184	MILL CAP  P.184	MILL SPIKE  P.185
MILL SPIKE CAP  P.185	BROOK  P.188	BROOK SPIKE  P.190	MIC  P.192	FLIN  P.194	FLIN EX  P.195	TERRA  P.196	CRAFT SM  P.198
CRAFT GS  P.198	LUMAX SM  P.199	LUMAX GS  P.199	BLOX  P.200	SUB  P.203	NODE  P.204	GAZE  P.205	BAY 1  P.207



ISO-TEMPERRATURE LINES



KELVIN COLOR TEMPERATURE SCALE CHART



CRI

(COLOR RENDERING INDEX)



COMPACT FLUORESCENT

50 CRI



STANDARD LED

80 CRI



LUX HIGH CRI

90+ CRI

Q What is CRI R9 and Why is it Important?

A CRI R9 is one of the test color samples (TCS) used in the calculation of extended CRI. Many manufacturers will only report general CRI, however, which does not include the CRI R9 score.

CRI R9 is therefore oftentimes a useful supplemental score to judge a light source's color rendering ability, specifically as it concerns objects whose reflectance spectra contain red wavelengths.


Q What is CRI R9?

A R9 is the score that represents how accurately a light source will reproduce strong red colors.

"Accurate" is defined as similarity to daylight or incandescent bulbs, depending on the color temperature.

Just like each of the CRI R value calculations, R9 is calculated by calculating the reflected color from a theoretical object with the reflectance profile defined as TCS9. The reflectance spectra is provided below:

What is notable is that the TCS9 spectrum is almost entirely composed of red light. Spectrum-wise, we see this as wavelengths longer than 600 nm. This means that if there is not enough red light in the light source, it will make red colors appear "off" or different.




Q Why is CRI R9 important?

A CRI R9 is a very important metric because many light sources will be lacking in red content, but this fact will be hidden due to the averaging out of CRI calculations which do not include R9.

As the chart below shows, an light source can actually perform quite well with the first 8 test color samples, scoring quite well for R1-R8. For the general CRI Ra metric, this means that an LED with poor red color rendering can still get by with an 80 CRI (Ra) rating.

A closer look at the R9 value, however, reveals that the light will perform very poorly for red colors in particular.




Q What is a good CRI R9 value?

A Although the maximum possible value of R9 is also 100, unlike average CRI numbers, R9 should be judged a bit differently.

Mathematically, R9 is far more difficult to achieve a high score compared to the other R values that comprise the CRI calculations, and is far more sensitive to spectral variations. Therefore, an R9 score of 50 or above would be considered "good" while an R9 score of 90 or above would be considered "excellent."

You will therefore find that most lighting products available in the market will rarely specify the R9 value, and when they do, rarely will they guarantee anything higher than 50.

This is due to the fact that CRI utilizes the CIE 1960 uv color space, which is skewed in a way that exaggerates color differences in the red region of the chromatic diagram. Since CRI is a calculation that quantifies color differences between a light source and a reference source, a larger calculated color difference will result in a larger decrease in the R score.




Q Why is red such an important color?

A Red is a crucial color for many applications including photography, textiles and reproduction of human skin tones. When searching for a high color quality LED, be sure to inquire about the CRI as well as its R9 value.





EASY INSTALLATION



MULTIPLE INSTALLATION MODES




1. EMBEDDED

2. SURFACE MOUNTED


3. PENDANT MOUNTED









LW10225-10W



LW10225-20W










LW10225-30W







MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30166-12W	Aluminium	SMD	12W	L306xW22xH44	2700K/3000K/ 4000K/5000K	864lm	120°	White/ Black	1,100.00
ITR30166-24W			24W	L601xW22xH44		1768lm			1,700.00
ITR30166-36W			36W	L896xW22xH44		2430lm			2,400.00






MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30171-6W	Aluminium	SMD	6W	L120.5xW22xH45	2700K/3000K/ 4000K/5000K	524lm	24°/ 38°	White/ Black	1,100.00
ITR30171-12W			12W	L235xW22xH45		999lm			1,450.00
ITR30171-18W			18W	L349xW22xH45		1527lm			1,890.00
ITR30171-24W			24W	L462xW22xH45		2012lm			2,200.00
ITR30171-36W			36W	L690xW22xH45		2986lm			2,600.00




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30154-6W	Aluminium	SMD	6W	L120xW22xH80	2700K/3000K/ 4000K/5000K	469lm	24°/ 38°	White/ Black	1,450.00
ITR30154-12W			12W	L236xW22xH80		999lm			2,100.00
ITR30154-18W			18W	L350xW22xH80		1527lm			2,800.00






MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30946-L200	Aluminium	SMD	10W	Ø34.5xH200	2700K/3000K/ 4000K/5000K	891lm	24°/ 40°/ 60°	White/ Black	2,000.00
IC30946-L300				Ø34.5xH300					2,200.00
IC30946-L400				Ø34.5xH400					2,300.00
IC30946-L500				Ø34.5xH500					2,500.00







MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30172-12W	Aluminium	SMD	12W	Ø45xL110	2700K/3000K/ 4000K/5000K	967lm	24°/40°/ 60°	White/ Black	2,150.00
ITR30172-18W			18W	Ø55xL140		1396lm	15°/ 24°/ 38°/ 60°		2,850.00
ITR30172-30W			30W	Ø75xL185		2287lm			3,400.00




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30174-8W	Aluminium	SMD	8W	Ø34xL85xW129	2700K/3000K/ 4000K/5000K	620lm	24°/ 40°/ 60°	White/ Black	1,390.00
ITR30174-16W			2 x 8W	Ø34xL85xW220		1251lm			2,850.00



6W



12W









18W




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10245-6W	Aluminium	SMD	6W	L120xW22xH60	2700K/3000K/ 4000K/5000K	480lm	24°	White/ Black	1,290.00
LW10245-12W			12W	L220xW22xH60		960lm			1,990.00
LW10245-18W			18W	L320xW22xH60		1440lm			2,600.00








INSTALLATION






MODEL NO. : IA10524-1M IA10524-2M IA10524-3M
 MATERIAL : Aluminium
 SIZE (mm) : L1000/L2000/L3000xW27.3xH52.2
 COLOR : White/Black
 PRICE : 1,550.00/3,000.00/4,600.00




MODEL NO. : IA10524-RACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00





MODEL NO. : IA10524-IACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00





MODEL NO. : IA10525-OACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00




MODEL NO. : IA10524-TCN
 MATERIAL : Aluminium
 SIZE (mm) : L160xW92.3xH52.2
 COLOR : White/Black
 PRICE : 1,100.00



MODEL NO. : IA10525-FCN
 MATERIAL : Aluminium
 SIZE (mm) : L157.3xL157.3xW27.3xH52.2
 COLOR : White/Black
 PRICE : 1,400.00



MODEL NO. : IA10524-EC
 MATERIAL : Aluminium
 SIZE (mm) : W27.3xH48.4
 COLOR : White/Black
 PRICE : 300.00




MODEL NO. : IA10524-CST
 MATERIAL : Aluminium
 SIZE (mm) : L80xW22
 COLOR : -
 PRICE : 80.00






MODEL NO. : IA10526-1M IA10526-2M IA10526-3M
 MATERIAL : Aluminium
 SIZE (mm) : L1000/L2000/L3000xW27.3xH52.2
 COLOR : White/Black
 PRICE : 1,550.00/3,000.00/4,600.00




MODEL NO. : IA10526-RACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00




MODEL NO. : IA10526-IACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00





MODEL NO. : IA10526-OACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00




MODEL NO. : IA10524-TCN
 MATERIAL : Aluminium
 SIZE (mm) : L160xW92.3xH52.2
 COLOR : White/Black
 PRICE : 1,100.00



MODEL NO. : IA10526-FCN
 MATERIAL : Aluminium
 SIZE (mm) : L157.3xL157.3xW27.3xH52.2
 COLOR : White/Black
 PRICE : 1,400.00



MODEL NO. : IA10526-EC
 MATERIAL : Aluminium
 SIZE (mm) : W27.3xH48.4
 COLOR : White/Black
 PRICE : 300.00





MODEL NO. : IA10526-CST
 MATERIAL : Aluminium
 SIZE (mm) : L80xW22
 COLOR : -
 PRICE : 80.00





MODEL NO. : IA10525-1M IA10525-2M IA10525-3M
 MATERIAL : Aluminium
 SIZE (mm) : L1000/L2000/L3000xW27.3xH52.2
 COLOR : White/Black
 PRICE : 1,550.00/3,000.00/4,600.00




MODEL NO. : IA10525-RACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00




MODEL NO. : IA10525-IACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00





MODEL NO. : IA10525-OACN
 MATERIAL : Aluminium
 SIZE (mm) : L95xL95xW27.3xH52.2
 COLOR : White/Black
 PRICE : 600.00




MODEL NO. : IA10525-TCN
 MATERIAL : Aluminium
 SIZE (mm) : L160xW92.3xH52.2
 COLOR : White/Black
 PRICE : 990.00




MODEL NO. : IA10525-FCN
 MATERIAL : Aluminium
 SIZE (mm) : L157.3xL157.3xW27.3xH52.2
 COLOR : White/Black
 PRICE : 990.00



MODEL NO. : IA10525-EC
 MATERIAL : Aluminium
 SIZE (mm) : W27.3xH48.4
 COLOR : White/Black
 PRICE : 300.00




MODEL NO. : IA10525-CST
 MATERIAL : Aluminium
 SIZE(mm) : L80xW22
 COLOR : -
 PRICE : 80.00



MODEL NO. : IA10525-SAC
 MATERIAL : Aluminium
 SIZE (mm) : -
 COLOR : -
 PRICE : 330.00












MODEL NO. : IA10524
 MATERIAL : Integrated power supply DC48V 200W
 SIZE (mm) : L324xH44
 COLOR : White/Black
 PRICE : 2,350.00




MODEL NO. : IA10524
 MATERIAL : Main power connector DC48V
 SIZE (mm) : L390xH18
 COLOR : White/Black
 PRICE : 220.00




MODEL NO. : IA10524
 MATERIAL : Main power connector DC48V
 (Beter for Suspended Track Rail)
 SIZE (mm) : L2000xH18
 COLOR : White/Black
 PRICE : 600.00










MODEL NO. : IA10524
 MATERIAL : Straight Power Connector DC48V
 SIZE (mm) : L227xH18
 COLOR : White/Black
 PRICE : 360.00



MODEL NO. : IA10524
 MATERIAL : Corner power connector DC48V
 SIZE (mm) : L190xH18
 COLOR : White/Black
 PRICE : 500.00













Black

White




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EF30089-D0600	Aluminium	SMD	6W	L188xH45	2700K/3000K /4000K/6500K	346lm	110°	White/ Black	1,490.00
EF30089-D0800				L168xH45		360lm			
EF30089-D1000				L177xH45		377lm			
EF30089-D1200				L190xH45		387lm			
EF30089-D1500				L178xH45		397lm			




Black

White



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EF30090-D0600	Aluminium	SMD	6W	L188xH45	2700K/3000K /4000K/6500K	530lm	24°	White/ Black	1,690.00
EF30090-D0800				L168xH45		550lm			
EF30090-D1000				L177xH45		532lm			
EF30090-D1200				L190xH45		544lm			
EF30090-D1500				L178xH45		550lm			







Black



White




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30137-D0600	Aluminium	COB	8W	Ø34.5xL85	2700K/3000K /4000K/6500K	620lm	24°/40°/60°	White/ Black	2,190.00
ITR30137-D0800				Ø34.5xL85					
ITR30137-D1000				Ø34.5xL85					
ITR30137-D1200				Ø34.5xL85					
ITR30137-D1500				Ø34.5xL85					






Black

White



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC40218-D0600	Aluminium	COB	10W	Ø34.5xL300	2700K/3000K /4000K/6500K	891lm	24°/40°/60°	White/ Black	2,190.00
IC40218-D0800				Ø34.5xL300					
IC40218-D1000				Ø34.5xL300					
IC40218-D1200				Ø34.5xL300					
IC40218-D1500				Ø34.5xL300					

FULL CIRCLE SURFACE TRACK RAIL



MODEL NO.	MATERIAL	SIZE (mm)	COLOR	PRICE
IA10470-C0600	Aluminium	Ø600x51.3	White/Black	8,500.00
IA10470-C0800		Ø800x51.3		11,000.00
IA10470-C1000		Ø1000x51.3		14,000.00
IA10470-C1200		Ø1200x51.3		15,000.00
IA10470-C1500		Ø1500x51.3		18,500.00



Suspension Set




Corner Power Connector




Main Power Connector

Remark: including 1pc main power connector and 1 pc connection plate

FULL CIRCLE RECESSED TRACK RAIL




MODEL NO.	MATERIAL	SIZE (mm)	COLOR	PRICE
IA10469-C0600	Aluminium	Ø600x51.2	White/Black	8,500.00
IA10469-C0800		Ø800x51.2		10,000.00
IA10469-C1000		Ø1000x51.2		13,500.00
IA10469-C1200		Ø1200x51.2		14,500.00
IA10469-C1500		Ø1500x51.2		17,500.00



Remark: including 1pc main power connector and 1 pc connection plate

SLIM MAGNET TRACK

Ultra thin intelligent orbit system without installation conditions,
Starlight 9 colors cross mapping



MODEL NO. : IA10379

MATERIAL : Aluminium

INSTALLATION INSTRUCTION : 2 Wires

VOLTAGE : DC48V

SIZE (mm) : L1000xW18xH6.7

L2000xW18xH6.7

COLOR : Gold/Silver/Grey/Red/Blue/Green

(These custom color add 1.4usd/meter)

PRICE : 950.00 / 1,850.00



Turquoise



Cabry Blue



Naples
yellow



Bordeaux
Red



White
Starlight



Starlight
color




Silvery



Deep
Grey



Midnight
color




Ultra thin magnetic track system
A track system thinner than a mobile phone

7.4mm [





6.7mm [

6.7mm





EXTREMELY THIN









MODEL NO. : IA10379
MATERIAL : Wall ajustable connector
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L100xW44xH55
COLOR : White/Black
PRICE : 290.00





MODEL NO. : IA10379
MATERIAL : End cap
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L26.6xW19xH6.7
COLOR : White/Black
PRICE : 230.00





MODEL NO. : IA10379
MATERIAL : I connector
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L28.6xW19xH6
COLOR : White/Black
PRICE : 290.00





MODEL NO. : IA10379
MATERIAL : Corner connector
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L24xW24xH6.7
COLOR : White/Black
PRICE : 290.00





MODEL NO. : IA10379
MATERIAL : Corner connector
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L24xW19xH24
COLOR : White/Black
PRICE : 420.00



MODEL NO. : IA10379
MATERIAL : Power Feeder
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L58xW23xH17.7 (L:300mm)
COLOR : White/Black
PRICE : 580.00





MODEL NO. : IA10379-120W
MATERIAL : Aluminium
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L294xW28xH60
COLOR : White/Black
PRICE : 2,900.00




MODEL NO. : IA10379-150W
MATERIAL : Integrated power supply
INSTALLATION : 2 Wires
VOLTAGE : DC48V
SIZE (mm) : L294xW28xH60
COLOR : White/Black
PRICE : 3,400.00





MODEL NO. : ITR30131-7W
 MATERIAL : Die-cast aluminum
 LAMP TYPE : COB
 POWER : 7W
 LUMENS : 370lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°/36°
 SIZE (mm) : Ø40xH145.8
 COLOR : White /black
 PRICE : 2,250.00





MODEL NO. : ITR30131-12W
 MATERIAL : Die-cast aluminum
 LAMP TYPE : COB
 POWER : 12W
 LUMENS : 680lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°/36°
 SIZE (mm) : Ø50xH158.72
 COLOR : White /black
 PRICE : 2,700.00







LW10248




LW10255




LW10255




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10248	Die-cast aluminum	SMD	9W	L232.3xW26xH36	3000K 4000K 5000K	480lm	120°	White/Black	1,600.00
LW10255			12W			950lm	24°/36°		1,800.00
			12W			1050lm			1,950.00




MODEL NO. : DP20692
 MATERIAL : Die-cast aluminum
 LAMP TYPE : SMD
 POWER : 5W
 LUMENS : 240lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 24°
 SIZE (mm) : Ø35x257mm
 BEAM ANGLE :
 COLOR : White /black
 PRICE : 3,200.00




MODEL NO. : DP20693
 MATERIAL : Die-cas aluminum
 LAMP TYPE : SMD
 POWER : 5W
 LUMENS : 400lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 120°
 SIZE(mm) : Ø80x76mm
 BEAM ANGLE :
 COLOR : White /black
 PRICE : 2,700.00




MODEL NO. : DP20694
 MATERIAL : Die-cast aluminum
 LAMP TYPE : SMD
 POWER : 4W
 LUMENS : 300lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 120°
 SIZE (mm) : Ø90x86mm
 BEAM ANGLE :
 COLOR : White /black
 PRICE : 3,750.00



MODEL NO. : IW30118
 MATERIAL : Die-cast aluminum
 LAMP TYPE : SMD
 POWER : 2W
 LUMENS : 560lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 24°
 SIZE (mm) : Ø26x495
 COLOR : White /black
 PRICE : 2,650.00






MODEL NO. : DW20142
 MATERIAL : Die-cast aluminum
 LAMP TYPE : SMD
 POWER : 5W
 LUMENS : 560lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 360°
 SIZE (mm) : Ø180xH23
 COLOR : White /black
 PRICE : 3,500.00




MODEL NO. : DW20143
 MATERIAL : Die-cast aluminum
 LAMP TYPE : SMD
 POWER : 5W
 LUMENS : 560lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 360°
 SIZE (mm) : L180xW180xH23mm
 COLOR : White /black
 PRICE : 3,700.00





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10216-0500	Die-cast aluminium	SMD	12W	Ø79xL500	2700K/3000K /4000K/6500K	660lm	120°	White/ Black	3,100.00
LW10216-1000			18W	Ø79x1000		950lm			4,800.00
LW10216-1500			24W	Ø79xL1500		1300lm			6,900.00



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30915-1000	Silicone	SMD	12W	Ø22xL1000	2700K/3000K /4000K/6500K	620lm	360°	White/ Black	4,600.00
IC30915-2000			20W	Ø22xL2000		1000lm			8,300.00



Track spotlights

Decorative chandelier

grille spotlights

Folding strip spotlights

Bar floodlight



Reading lamp


Wall lamp Wall lamp







SERA




Ø40

360°
25°




EMBER




Ø17

MODEL NO. : IC30758
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 3W
LUMENS : 200lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 10°/17°/25°/36°/60°
SIZE (mm) : Ø45xH47
CUT OUT (mm) : Ø40
COLOR : White/Black
PRICE : 1,500.00



MODEL NO. : IR30786
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 1W
LUMENS : 45lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/20°/36°
SIZE (mm) : Ø21xH24
CUT OUT (mm) : Ø17
COLOR : White/Black
PRICE : 1,450.00








SILK 1




SILK 2



MODEL NO. : IR30791
 MATERIAL : Aluminium
 LAMP TYPE : COB
 POWER : 1W
 LUMENS : 90lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°/38°
 SIZE (mm) : Ø22xH41
 CUT OUT (mm) : Ø18
 COLOR : White/Black
 PRICE : 950.00



MODEL NO. : IR30792
 MATERIAL : Aluminium
 LAMP TYPE : COB
 POWER : 2W
 LUMENS : 180lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 10°/25°/40°
 SIZE (mm) : Ø35xH38
 CUT OUT (mm) : Ø30
 COLOR : White/Black
 PRICE : 990.00









LITE 1

MODEL NO. : IR30787
 MATERIAL : Aluminium
 LAMP TYPE : COB
 POWER : 1W
 LUMENS : 75.7lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°
 SIZE (mm) : Ø30xH25
 CUT OUT (mm) : Ø25
 COLOR : White/Black
 PRICE : 950.00





Ø25



LITE 5

MODEL NO. : IR30788
 MATERIAL : Aluminium
 LAMP TYPE : COB
 POWER : 5W
 LUMENS : 451lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°/36°
 SIZE (mm) : Ø52xH28
 CUT OUT (mm) : Ø45
 COLOR : White/Black
 PRICE : 1,400.00




Ø45




LITE 3


MODEL NO. : IR30790
 MATERIAL : Aluminium
 LAMP TYPE : COB
 POWER : 3W
 LUMENS : 141.7lm
 CCT: 2700K/3000K/4000K/6500K
 BEAM ANGLE : 15°/24°/36°
 SIZE (mm) : Ø55xH28
 CUT OUT (mm) : Ø45
 COLOR : White/Black
 PRICE : 1,200.00




Ø45




Ø40



Ø50




Ø60



Ø75





SILK 3 / SILK 5 / SILK 7 / SILK 10



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30793	Aluminium	COB	3W	Ø45xH46	Ø40	2700K/3000K /4000K/6500K	270lm	5°/8°/10°/25°/40°	White/ Black	1,200.00
			5W	Ø55xH61	Ø50		400lm	15°/24°/38°/60°		1,300.00
			7W	Ø65xH69	Ø60		560lm	15°/24°/38°/60°		1,500.00
			10W	Ø80xH79	Ø75		800lm	15°/24°/38°/60°		1,650.00








HALO




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT-OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30794	Aluminium	COB	3W	Ø66xH16	Ø55	2700K/3000K /4000K/6500K	225lm	10°/20°	White/ Black	1,200.00
			6W	Ø80xH16	Ø75		430lm	10°/20°/36°		1,500.00
			8W	Ø106xH22	Ø95		460lm	10°/20°/36°		1,700.00
			12W	Ø133xH22	Ø125		1000lm	10°/20°/36°		2,200.00


FORCE R



Ø55



Ø75




Ø95




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT-OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30795	Aluminium	COB	8W	Ø62xH85	Ø55	2700K/3000K /4000K/6500K	720lm	8°/15°/24° /38°/65°	White/ Black	1,900.00
			18W	Ø84xH110	Ø75		1620lm			2,800.00
			25W	Ø111xH130	Ø95		2250lm			3,500.00


FORCE O




Ø65xL126



Ø88xL177




Ø110xL223




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT-OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30796	Aluminium	COB	2x8W	L139xW79xH90	Ø65xL126	2700K/3000K /4000K/6500K	2x720	8°/15°/24° /38°/65°	White/ Black	3,500.00
			2x18W	L194xW104xH121	Ø88xL177		2x1620			4,800.00
			2x25W	L239xW125xH142	Ø110xL223		2x2250			5,800.00




FORCE S




W95xL95



W75xL75




W55xL55




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30797	Aluminium	COB	8W	L63xW63xH95	L54xW54	2700K/3000K /4000K/6500K	720lm	8°/15°/24° /38°/65°	White/ Black	1,950.00
			18W	L85xW85xH121	L75xW75		1620lm			2,900.00
			25W	L105xW105xH146	L95xW95		2250lm			3,700.00


FORCE D



L121xW55



L158xW77




L207xW93




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30798	Aluminium	COB	2x8W	L130xW68xH80	L121xW55	2700K/3000K /4000K/6500K	2x720	8°/15°/24° /38°/65°	White/ Black	3,500.00
			2x18W	L164xW85xH121	L158xW77		2x1620			4,800.00
			2x25W	L223xW117xH140	L207xW93		2x2250			5,800.00










Ø55

W3



MODEL NO.	MATERIAL	LAMPTYPE	POWER	SIZE (mm)	CUT-OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IR30910-10W	Aluminium	COB	10W	Ø64xH70	Ø55	2700K/3000K /4000K/6500K	650lm	Wall Washer	White/ Black	3,500.00

DEX



Ø85

MODEL NO. : IC30768
MATERIAL : Aluminium
LAMP TYPE : COB
POWER : 13W
LUMENS : 1100lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/36°
SIZE (mm) : Ø90xH80
CUT OUT (mm) : Ø85
COLOR : White/Black
PRICE : 2,900.00




WATERPROOF DRIVER



Adjustable angle, applied to wide area
Angular appearance, pleasingly simple design
Anti glare ring, glare control, clear layered look
Electrostatic sand powder coating, fadeless, against scratch, high corrosion resistance, graceful texture design
Standard bulbs design, easy installation



SYNC 1




Ø94.5

MODEL NO. : IR30838
 MATERIAL : Aluminium
 LAMP TYPE : MR161/QPAR16/LED MR16 MODULE
 SOCKET: GU5.3/GU10
 POWER : Max 50W
 SIZE (mm) : Ø105.6xH35.3
 CUT OUT (mm) : Ø94.5
 COLOR : White/Black
 PRICE : 490.00



SYNC 2




Ø95xL190

MODEL NO. : IR30838-2
 MATERIAL : Aluminium
 LAMP TYPE : MR16/QPAR16/LED MR16 MODULE
 SOCKET: GU5.3/GU10
 POWER : Max 50W
 SIZE (mm) : Ø106xL208xH43
 CUT OUT (mm) : Ø95xL190
 COLOR : White/Black
 PRICE : 890.00




EVO R1




Ø55

EVO R2




L120xW55

EVO S1



L55xW55

EVO S2




L120xW55

EVO R1/ EVO R2 / EVO S1 / EVO S2



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT- OUT (mm)	CCT	COLOR	PRICE
IR30849	Aluminium	MR16/QPAR16/ LED MR16 MODULE	GU5.3/GU10	Ø65xH48	Ø55	2700K/3000K /4000K/6500K	White /Black	490.00
IR30862				L130xW65xH48	L120xW55			890.00
IR30847				L65xW65xH48	L55xW55			550.00
IR30848				L130xW65xH48	L120xW55			950.00






Ø70

FREEZE RT



MODEL NO.	MATERIAL	LAMP TYPE	Socket	SIZE (mm)	CUT - OUT (mm)	CCT	COLOR	PRICE
IR4009	Aluminium	MR16/QPAR16/LED MR16	GU5.3/GU10	Ø81xH54	Ø70	2700K/3000K /4000K/6500K	White /Black	390.00




Ø70

FREEZE RW



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT - OUT (mm)	CCT	COLOR	PRICE
IR40008	Aluminium	MR16/QPAR16/LED MR16	GU5.3/GU10	Ø76xH43	Ø70	2700K/3000K /4000K/6500K	White /Black	370.00






Ø75

SOURCE



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT - OUT (mm)	CCT	COLOR	PRICE
IR30802	Aluminium	MR16/QPAR16/LED MR16	GU5.3/GU10	Ø88xH38	Ø75	2700K/3000K /4000K/6500K	White /Black	490.00





START



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT- OUT (mm)	CCT	COLOR	PRICE
IC30132	Aluminium	MR16	GU5.3	Ø106xH21.5	Ø102	2700K/3000K /4000K/6500K	White /Black	850.00
IC30132				L106xW106x22.5				







SLICK R / SLICK S





MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT-OUT (mm)	CCT	COLOR	PRICE
IC30140	Aluminium	QR111	G53	Ø185xH140	Ø180	2700K/3000K /4000K/6500K	White /Black	1,100.00
IC30141				L185xW185xH140	L172xW172			1,100.00



APOLLO





MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT- OUT (mm)	CCT	COLOR	PRICE
R2A0009	Aluminium	1xTC-DSE/LED Bulb	E27	Ø150xH178	Ø135	2700K/3000K /4000K/6500K	White /Black	2,320.00
IR20003	Steel			Ø150xH175	Ø135			570.00



SEED





MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT- OUT (mm)	CCT	COLOR	PRICE
LUR1017	Steel	1xTC-DSE/LED Bulb	E27	L140xW140xH170	L115xW115	2700K/3000K /4000K/6500K	White /Black	600.00
LUR1017-G	Steel+ Glass			L135xW135xH220	L120xW120			650.00



SLEEK



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT-OUT (mm)	CCT	COLOR	PRICE
IR20021-R4	Aluminium	1xTC-DSE/LED Bulb	E27	Ø110xH195	Ø100	2700K/3000K /4000K/6500K	White /Black	480.00
IR20021-R5				Ø138xH195	Ø120			550.00




VISIO




MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CUT- OUT (mm)	CCT	COLOR	PRICE
IC20016-1	Aluminium+ Steel	1xTC-DSE/LED Bulb	E27	L130xW130xH155	L115xW115	2700K/3000K /4000K/6500K	White /Black	750.00
IC20016-2		2xTC-DSE/LED Bulb		L223xW130xH155	L210xW115			1,100.00






CHIME S



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30944	Aluminium	COB	9W	W75xL75xH85	2700K/3000K /4000K/6500K	800lm	15°/24°/36°/55°	White/ Black	1,990.00
			12W			1050lm			2,190.00
			15W			1350lm			2,250.00






CHIME R






MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30971	Aluminium	COB	9W	Ø75xH85	2700K/3000K /4000K/6500K	800lm	15°/24°/36°/55°	White/ Black	1,890.00
			12W			1050lm			1,990.00
			15W			1350lm			2,150.00

PRISMA R







MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30891	Aluminium	COB	9W	Ø70xH140	2700K/3000K /4000K/5000K	630lm	15°/24°/36°	White/ Black	2,900.00
			18W	Ø100xH170		1535lm			3,500.00

PRISMA S




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30945	Aluminium	COB	9W	L70xW70xH140	2700K/3000K /4000K/5000K	630lm	15°/24°/36°	White/ Black	3,000.00
			18W	L100xW100xH170		1535lm			3,600.00









CHAIN



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC40183	Aluminium	COB	10W	Ø75xH90	2700K/3000K /4000K/6000K	1000lm	12°/24°/38/55°	White/ Black	2,350.00
			15W	Ø75xH90		1440lm			2,450.00
IC40207			20W	Ø91xH112		1600lm			2,990.00
IC30970			30W	Ø128xH137		2640lm			3,990.00









SHOOTER 1 / SHOOTER 2



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
IC40042	Aluminium	MR16/ QPAR16	GU5.3/GU10	Ø90xH105	2700K/3000K /4000K/6500K	White/Black	900.00
IC40043				L180xW90xH105			1,800.00
IC40044				L90xW90xH105			950.00
IC40045				L180xW90xH105			1,900.00





ELEMENT R / ELEMENT S



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
IC40176	Aluminium	MR16/ QPAR16	GU5.3/GU10	Ø68xH90	2700K/3000K /4000K/6500K	White/Grey/Black	1,300.00
IC30931				L80xW80xH85			1,550.00






SURF E1 / SURF E2




MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
IC40010	Aluminium	1xTC-DSE	E27	L113xW113xH170	2700K/3000K /4000K/6500K	White/Grey/Black	1,400.00
IC40011		2xTC-DSE		L116xW250xH170			2,500.00



LOOK SURFACE



MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
IC40036	Aluminium	QPAR16	GU10	Ø60xH93	2700K/3000K /4000K/6500K	White/Grey/Black	1,350.00



LOOK TRACK




MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
ITR30018-1C	Aluminium	QPAR16	GU10	Ø60xH95	2700K/3000K /4000K/6500K	White/Grey/Black	1,150.00




1 Circuit




3 Circuit



BRIT SURFACE



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC40226	Aluminium	COB	15W	Ø70xH160	2700K/3000K /4000K/5000K /6500K	1575lm	15°/24°/38° 60°	White/Black	2,200.00
			18W			1890lm			2,790.00
			20W			2100lm			2,990.00



BRIT TRACK



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ITR30127	Aluminium	COB	15W	Ø70xH160	2700K/3000K /4000K/5000K /6500K	1575lm	15°/24°/38° 60°	White/Black	2,200.00
			18W			1890lm			2,790.00
			20W			2100lm			2,990.00




1 Circuit





3 Circuit




LUCIFER








MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
DP20714	Aluminium	SMD	Up 10W/Down 27W	L1263xW46xH53	2700K /3000K /4000K /6500K	Up 760 / Down 1134	120°	White/ Yellow/ Black	14,000.00
			Up 13W Down 33W	L1490xW46xH53		Up 988 / Down 1518			19,500.00
			Up 15W/Down 39W	L1718xW46xH53		Up 1140 / Down 1638			24,500.00
			Up 17W/Down 45W	L1945xW46xH53		Up 1292 / Down 1890			29,900.00



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IA10447	Aluminium	SMD	Up 10W / Down track rail	L1240xW46xH53	2700K /3000K /4000K /6500K	Up 760 / Down track rail	120°	White/ Yellow/ Black	14,900.00
			Up 10W / Down track rail	L1490xW46xH53					28,500.00
			Up 10W / Down track rail	L1740xW46xH53					39,900.00
			Up 10W / Down track rail	L1990xW46xH53					54,900.00




1. Lamp cup body
2. Guide rail main body
3. Suction top box
4. Lift the end cover
5. Braid tape
6. Wire rope
7. Hoisting straight connectors
8. Hoisting 90° Angle connector
9. Hoisting T corner connector
10. Clear installation end cover
11. Open-mounted T corner connector
12. Straight connecting parts
13. Install the 90° Angle connector
14. 48V track lamp

Gentle ambient light




Colorful fashion design




Deep anti-glare optical lamp cup



48V low pressure guide system




Deep anti-glare lamp cup design




Quick Docking Interface


=1+3+4+5




=2+3+4+5+7





=1+3+6+8




=2+3+6+9






=1(2)+13



=1(2)+11+13






Suite
for
any s

table
or
space







MODEL NO. : ITR30154
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 14W
LUMENS : 1120lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/36°
SIZE (mm) : L80xW40xH82
COLOR : White/Grey/Black
PRICE : 5,750.00




MODEL NO. : ITR30155
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 6W
LUMENS : 480lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/45°
SIZE (mm) : L112xW22xH106
COLOR : White/Grey/Black
PRICE : 6,200.00







MODEL NO. : LW10279
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 6W
LUMENS : 480lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 100°
SIZE (mm) : L110xW22xH90
COLOR : White/Grey/Black
PRICE : 4,350.00




MODEL NO. : LW10280
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 15W
LUMENS : 1200lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/45°
SIZE (mm) : L218xW22xH25
COLOR : White/Grey/Black
PRICE : 5,800.00






MODEL NO. : LW10267-15W
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 15W
LUMENS : 1200lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 100°
SIZE (mm) : L218xW22xH25
COLOR : White/Grey/Black
PRICE : 3,990.00




MODEL NO. : LW10267-28W
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 28W
LUMENS : 2240lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 100°
SIZE (mm) : L433xW22xH25
COLOR : White/Grey/Black
PRICE : 5,300.00








MODEL NO. : IC30978
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 10W
LUMENS : 800lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 20°/30°
SIZE (mm) : Ø40xH400
COLOR : White/Grey/Black
PRICE : 5,990.00





MODEL NO. : IC30979
MATERIAL : Aluminium
LAMP TYPE : SMD
POWER : 6W
LUMENS : 480lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 180°
SIZE (mm) : Ø120
COLOR : White/Grey/Black
PRICE : 5,700.00






MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
IC30969	Aluminium	SMD	3W	Ø45xH100	2700K	240lm	15°/24°/45°	White/Grey/ Black	2,990.00
ITR30152			6W	Ø55xH115	/3000K /4000K	480lm	20°/30°		4,990.00
ITR30153			18W	Ø65xH135	/6500K	1440lm	15°/24°/36°		5,600.00









Ø800mm, Curve 90° (Lighting Downward),
45° Rigid Modular

Ø800mm, Curve 45° (Lighting Downward),
45° Rigid Modular

Ø500mm, Curve 90° (Lighting Inward),
Flexible Strip

Ø3000mm, Curve 45° (Lighting Downward),
22.5° Rigid Modular

Ø500mm, Curve 90° (Lighting Downward),
45° Rigid Modular

Ø1500mm, Curve 45° (Lighting Downward),
45° Rigid Modular

Ø1500mm, Curve 90° (Lighting Outward),
Flexible Strip

Straight Line (2500mm),
Rigid Module (499mm)





Ø3m
(Lighting Downward)



Ø1.5m
(Lighting Outward)



Ø1.5m
(Lighting Inward)



Ø1.5m
(Lighting Downward)




Ø0.8m
(Lighting Downward)

PRODUCT FEATURE



Flexible diffuser

Silicone flexible diffuser, 20m/roll ultra-long application, without interconnection and light leakage. Surface adopts dust-proof design.




Profile

AL6063 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver.




Flexible strip

Suitable for straight module / lighting inward module/ lighting outward module, freely cutting, freely application.



Rigid modular

The aluminum substrate rigid modular light source offers better heat dissipation, and producing homogenous & soft lighting. Wago connector, solder-free, insert to connect.




Interconnection accessories

Multiple interconnection accessories, the interconnection of straight line and straight line, straight line and curve, curve and curve in different diameters, different radii and different lengths




Installation accessories

Multiple installation methods optional: pendant, recessed, surface mounted, wall mounted.




Application Principle

Straight modules can be cut in different lengths and angles freely for application. Curve modules and straight modules can be interconnected with accessories for random interconnection and application. Through the modules of lighting inward/lighting outward, the 3D spacial application could be realized. Limitless possibilities lead to limitless applications and thousands of styles.







PENDANT




Pendant (Lighting Downward)



Pendant (Lighting Upward)



Pendant (Lighting Outward)



Pendant (Lighting Inward)



Pendant (Lighting Outward)



Pendant (Lighting Inward)



SURFACE MOUNTED & RECESSED




Recessed




Recessed




Surface mounted (Lighting Outward)




Surface mounted (Lighting Inward)




WALL MOUNTED & MOUNTED AWAY FROM THE WALL




Wall mounted
(Lighting Downward)





Wall mounted
(Lighting Outward)



Wall mounted
(Lighting Inward)




Mounted away form the wall
(Indirect illumination)








LIMITLESS EXTENSION ON THE CEILING





MODEL NO. ZR015

PRICE : 3,800.00/m



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit 4 meter
per set



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



EX-26N
Connector 2 pcs plate
for both side 1 pcs plate for back



AC10223-20
Clear cable
2x0.75 sq.mm
2 meter



AC10223-40
Clear cable
2x0.75 sq.mm
4 meter

PROFILE COMPONENTS



Aluminium
Profile



Diffuser
ZR050-SIC






End Cap

- 1. ZR050-ST** : Aluminium profile : Standard Length 2500mm.
- 2. ZR050-SIC35** : Silicone Diffuser : Maximum Length 20m.
- 3. End Cap** 2pcs/set
- 4. IL10203-XX/20RG-ST** : Rigid Modular 9.6W/Pcs, 24V, L499mm Cutting Length 100mm
IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



MODEL NO. SR050
PRICE : 1,500 Baht/m (45)/Unit
2,000 Baht/m (90)/Unit



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit 4 meter
per set



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



EX-26N
Connector 2 pcs plate
for both side 1 pcs plate for back



AC10223-20
Clear cable
2x0.75 sq.mm
2 meter



AC10223-40
Clear cable
2x0.75 sq.mm
4 meter

PROFILE COMPONENTS



Downward




Inward



Outward



Downward




Diffuser



End Cap


- 1. ZR050-JI90/03D** : Downward Aluminium curve profile 90° 1/4 Arc
ArcZR050-JI90/03ID : Inward Aluminium curve profile 90° 1/4 Arc
ArcZR050-JI90/03OD : Outward Aluminium curve profile 90° 1/4 Arc
- 2. ZR050-SIC35** : ZR050-SIC35 : Silicone Diffuser W 32mm : Maximum Length 20m
- 3. End Cap** End Cap 2pcs/set
- 4. IL10065-XX/90RG-030** : Rigid Modular 90° 1/4 Arc 5.4W/Pcs, 24V
IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V (For Inward and outward) (XX : 27 (2700K) / 30 (3000K) / 65 (6500K)(XX : 27 (2700K) / 30 (3000K) / 65 (6500K)



CURVE PROFILE 0.80 M

MODEL NO. ZR050-J45-08D / ZR050-J90-08D


PRICE : 3,800.00/m




OPTIONAL ACCESSORIES



PROFILE COMPONENTS




- 1. ZR050-J45/08D** : Aluminium curve profile 45° 1/8 Arc (Only Downward)
ZR050-J90/08D : Aluminium curve profile 90° 1/4 Arc (Only Downward)
- 2. ZR050-SIC35** : Silicone Diffuser : Maximum Length 20m.
- 3. End Cap** 2pcs/set
- 4. IL10065-XX/45RG-080** : Rigid Modular 45° 1/8 Arc 5.8W/Pcs, 24V, L312.5mm, Cutting Length 104mm
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



CURVE PROFILE 1.5 M

MODEL NO. ZR050-J45-15D / ZR050-J90-15D


PRICE : x,800.00/m




OPTIONAL ACCESSORIES



PROFILE COMPONENTS




- 1. ZR050-J45/15D** : Downward Aluminium curve profile 45° 1/8 Arc
ZR050-J90/15D : Outward Aluminium curve profile 90° 1/4 Arc
ZR050-J90/15I : Inward Aluminium curve profile 90° 1/4 Arc
ZR050-J90/15D : Downward Aluminium curve profile 90° 1/4 Arc
- 2. ZR05035-SIC** : Silicone Diffuser : Maximum Length 20m.
- 3. End Cap** 2pcs/set
- 4. IL10065-XX/45RG-150** : Rigid Modular 45° 1/8 Arc 11.5W/Pcs, 24V, L580mm
Cutting Length 99.8mm(Only Downward)
IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V (For Inward and outward)
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



CURVE PROFILE 3.0 M

MODEL NO. ZR050-J45-30D


PRICE :x,800.00/m



OPTIONAL ACCESSORIES



PROFILE COMPONENTS





- 1. ZR050-J45/30D** : Aluminium curve profile 45° 1/8 Arc (Only Downward)
- 2. ZR050-SIC35** : Silicone Diffuser : Maximum Length 20m.
- 3. End Cap** 2pcs/set
- 4. IL10265-XX/22RG-300** : Rigid Modular 22.5° 1/16 Arc 11.6W/Pcs, 24V, L587.5mm Cutting Length 97.8mm
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K)

CURVE PROFILE TWIST

MODEL NO. ZR050-TW


PRICE :x,800.00/m




OPTIONAL ACCESSORIES



PROFILE COMPONENTS






- 1. ZR050-TW-L** : Aluminium curve twist profile / Twist 90° Left
ZR050-TW-R : Aluminium curve twist profile / Twist 90° Right
ZR050-TW-A : Aluminium curve twist profile / Twist 180°
- 2. ZR050-SIC35** : Silicone Diffuser : Maximum Length 20m.
- 3. End Cap** 2pcs/set
- 4. IL10202-XX/20BD** : Bendable Flexible Strip Light 19.2W/m, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K)



ZINGER CURVE 50

MODEL NO. ZR057-ST

PRICE : x,800.00/m



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit
4 meter



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



ZR057-CN
Connector 2 pcs plate
L39.5XW20XH12mm Aluminium



ZR057-CL
Clip 4 pcs

PROFILE COMPONENTS



Aluminium
Profile




Diffuser
ZR050-SIC



End Cap


- 1. ZR057-ST** : Straight Aluminium profile : Standard Length 2500mm.
- 2. ZR050-SIC35** : Silicone Diffuser W 32mm : Maximum Length 20m.
- 3. ZR057-SIC50** : Silicone Diffuser W 47mm : Maximum Length 20m
- 4. End Cap** 2pcs/set
- 5. IL10203-XX/20RG-ST** : Rigid Modular 9.6W/Pcs, 24V, L499mm
Cutting Length 100mm
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))
- 6. IL10203-XX/20RG-ST** : Rigid Modular 9.6W/Pcs, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))
IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V (For Inward and outward) (XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



CURVE PROFILE 1.0M

MODEL NO. ZR057-J45-10DU / ZR 057-J90-10DU

PRICE : x,800.00/m



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit
4 meter



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



ZR057-CN
Connector 2 pcs plate
L39.5XW20XH12mm Aluminium



ZR057-CL
Clip 4 pcs

PROFILE COMPONENTS



Aluminium
Profile




Diffuser
ZR050-SIC



End Cap

- 1. ZR057-J45/10DU** : Downward & Upward Aluminium curve profile 45° 1/8 Arc
- 2. ZR057-J190/10DU** : Downward & Upward Aluminium curve profile 90° 1/4 Arc
- 3. ZR057-SIC35** : Silicone Diffuser W 32mm : Maximum Length 20m.
- 3. ZR057-SIC50** : Silicone Diffuser W 47mm : Maximum Length 20m
- 4. End Cap** 2pcs/set
- 5. IL10065-XX/20RG-100** : Rigid Modular 45° 1/8 Arc 7.5W/Pcs, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))
- 6. L10065-XX/20RG-100** : Rigid Modular 7.5W/Pcs, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit
4 meter



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



ZR057-CN
Connector 2 pcs plastic
L39.5XW20XH12mm Aluminium





ZR057-CL
Clip 4 pcs

CURVE PROFILE 1.5M

MODEL NO. ZR057-J45-15DU / ZR057-J90-15DU

PRICE : x,800.00/m



PROFILE COMPONENTS



Aluminium
Profile



Diffuser
ZR050-SIC



End Cap

1. ZR057-J45/15DU : Downward & Upward Aluminium curve profile 45° 1/8 Arc

ZR057-J90/15DU : Downward & Upward Aluminium curve profile 90° 1/4 Arc

ZR057-J45/15DU : Inward & Outward Aluminium curve profile 45° 1/8 Arc

ZR057-J90/15DU : Inward & Outward Aluminium curve profile 90° 1/4 Arc


2. ZR057-SIC35 : Silicone Diffuser W 32mm : Maximum Length 20m.

3. ZR057-SIC50 : Silicone Diffuser W 47mm : Maximum Length 20m

4. End Cap 2pcs/set

5. IL10065-XX/20RG-150 : Rigid Modular 45 1/8 Arc 11.6W/Pcs, 24V
(For Downward and Upward) IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V
(For Inward and outward) (XX : 27 (2700K) / 30 (3000K) / 65 (6500K))

6. IL10065-XX/20RG-150 : Rigid Modular 45 1/8 Arc 11.6W/Pcs, 24V
(For Downward and Upward) IL10202-XX/20 : Flexible Strip Light 19.2W/m, 24V
(For Inward and outward) (XX : 27 (2700K) / 30 (3000K) / 65 (6500K))



OPTIONAL ACCESSORIES



ZR050-PN/20
Suspension kit 2 meter
per set



ZR050-PN/40
Suspension kit
4 meter



ZR050-PN/20
Suspension kit
per set junction box



ZR050-PN/40
Suspension kit
per set junction box



ZR057-CN
Connector 2 pcs plastic
L39.5XW20XH12mm Aluminium




ZR057-CL
Clip 4 pcs

CURVE PROFILE 3.0M

MODEL NO. ZR057-J45-15DU / ZR057-J90-15DU

PRICE : x,800.00/m



PROFILE COMPONENTS



Aluminium
Profile



Diffuser
ZR050-SIC



End Cap

1. ZR057-J45/30D : Downward & upward Aluminium curve profile 45° 1/8 Arc


2. ZR057-SIC35 : Silicone Diffuser W 32mm : Maximum Length 20m.

3. ZR057-SIC50 : Silicone Diffuser W 47mm : Maximum Length 20m


4. End Cap 2pcs/set

5. IL10065-XX/20RG-300 : Rigid Modular 22.5° 1/16 Arc 11.6W/Pcs, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))

6. IL10065-XX/20RG-300 : Rigid Modular 22.5° 1/16 Arc 11.6W/Pcs, 24V
(XX : 27 (2700K) / 30 (3000K) / 65 (6500K))





Modular design:
8 modules can be combined and interconnected freely according to the spatial design.



Circular Application:
Can be interconnected into circular shape with different diameters.



Curve Application:
Can be interconnected into curves with different radians.



Lighting upward&Downward:
AH5060 series acan can achieve lighting upward&Downward.




Flexible diffuser:
20m/ roll flexible diffuser, can achieve ultra-long leak-proof application in 3D space without needs of splicing. Different radians share the same diffuser.






Leak-proof splicing:
Brand-new splicing bars, convenient to use and can achieve leak-proof lighting effect.





SURFACE MOUNTED & RECESSED



FREELY USED IN 3D SPACE






CROSSED COMBINATION



DISORDERLY ARRANGEMENT









ZINGER GENERATION 3

Series


The System, by changing the modular design and installation method of the product, has redefined the function and application mode of linear lighting and has broken the constraints on traditional lighting system, which has achieved "three freedoms", namely, the design freedom of people, the installation freedom of product and the application freedom of environment. Zinger Generation 3 is iterated and upgraded based on the LLS1.0-Zinger Generation 2 design with more corner accessories added to achieve more creative styles.

















ZINGER MULTI 33

MODEL NO. : ZR030

PRICE : 4000.00/m



INCLUDED ACCESSORIES



Profile & Carrier x 1



Diffuser x 1



Screw set x 2



End cap x 2
ZR030G2-EC



IL10234
10.2W 24Vdc 1433lm/m
SMD3528 240LEDs/m

OPTIONAL ACCESSORIES



T90
ZR030G2-T90



X90
ZR030G2-X90



L90
ZR030G2-L90



L90
ZR030G2-L90N



L90W
ZR030G2-L90W



180°x2
2.0-LS-180



Wall-mounted
buckle ZR030G2-
LS-WLS



Pendant Cable +
Cable clip
(with junction box)



Pendant cable
CRI002G2



Recessed buckle
ZR030G2-RE





Quick locker x 2
ZR030-Bucklex BK



ZINGER MULTI 54

MODEL NO. : ZR031

PRICE : 5000.00/m



INCLUDED ACCESSORIES



Profile & Carrier x 1



Diffuser x 1



Screw setx 2



End cap x 2
ZR030G2-EC



IL10025
25W 24vdc 3250lm/m
SMD2835 280LEDs/m

OPTIONAL ACCESSORIES



T90
ZR030G2-T90



X90
ZR030G2-X90



L90
ZR030G2-L90



L90
ZR030G2-L90N



L90W
ZR030G2-L90W



180°x2
2.0-LS-180



Wall-mounted
buckle ZR030G2-
LS-WLS



Wall-mounted
buckle
ZR031G2-WM




Pendant cable
CR1002G2



Recessed buckle
ZR030G2-RE





Quick locker x 2
ZR031-Bucklex



ZINGER MULTI 74

MODEL NO. : ZR004

PRICE : 6400.00/m



INCLUDED ACCESSORIES



Profile & Carrier x 1



Diffuser x 1



Screw set x 2



End cap x 2
ZR030G2-EC



IL10234
10.2W 24Vdc 143lm/m
SMD3528 240LEDs/m

OPTIONAL ACCESSORIES



T90
ZR030G2-T90



X90
ZR030G2-X90



L90
ZR030G2-L90



L90
ZR030G2-L90N



L90W
ZR030G2-L90W



180x2
2.0-LS-180



Recessed buckle
ZR030G2-RE



Pendant Cable +
Cable clip
(with junction box)
CR1002G2-JB



Pendant cable
CR1002G2





Quick locker x 2
ZR004-Bucklex BK



ZINGER RECESS 55

MODEL NO. : ZR033

PRICE : 4900.00/m



INCLUDED ACCESSORIES



Profile & Carrier x 1



Diffuser x 1



Cable clip



Screw set x 2



End cap x 2
ZR033-EC



IL10234
19.2W 24vdc 1433lm/m
SMD3528 240LEDs/m

OPTIONAL ACCESSORIES



T90
ZR033G2-T90



X90
ZR033G2-X90



L90
ZR033G2-L90



L90N
ZR033G2-L90N



L90W
ZR033G2-L90W



180°x2
ZR033-180



Recessed buckle
(N-shaped)
ZR033-REN







Recessed buckle
(Butterfly clips)
ZR033-REB











TWIG




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10250	Aluminium	SMD	20W	L1204xW35xH70	2700K/3000K /4000K/5000K /6500K	2100lm	120°	White/ Black	2,990.00
			36W	L1204xW50xH70		3780lm			3,790.00
			48W	L1204xW75xH75		5040lm			4,790.00





TWIG T8

MODEL NO. : LW10249
MATERIAL : Aluminium
LAMP TYPE : T8/T8 LED TUBE
POWER : Max 36W
LUMENS : Max 2800lm
CCT: 3000K/4000K/6500K
BEAM ANGLE : 160°
SIZE(mm) : L1255xW71xH80
COLOR : White/Grey/Black
PRICE : 2500.00



Connector Kit

Suspension Kit Set






LE57-L-24W



LE57-T-24W



LE57-X-24W



TWIG 48



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW57120	Aluminium	SMD	40W	L1200xW50xH70	3000K / 4000K/5700K	5400lm	80° / 90°/ 90°x 100°	White/ Black	5,000.00
LW57150			50W	L1500xW50xH70		6750lm			5,250.00



Connector



Cover plate



Suspension



Surface



Linear louvre





Honey comb
louvre





UGR 16 louvre






Ø35




Ø65


LUMA DOT / LUMA S



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40460	Aluminium	SMD	3W	L39xW33xH39	Ø35	2700K/3000K	100lm	25°	White/ Black	2,400.00
EW40178-SQ			3W	L83xW45xH83	Ø65	/4000K/6500K	180lm	85°		1,850.00




Ø65




Ø65


LUMA O / LUMA IO




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT-OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40178-R01	Aluminium	SMD	3W	Ø83xW45	Ø65	2700K/3000K /4000K/6500K	180lm	85°	White/ Black	2,250.00
EW40178-R02								15°		2,250.00



LUMA I




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40178-SQ2	Aluminium	SMD	3W	L83xW45xH83	Ø65	2700K/3000K /4000K/6500K	100lm	15°	White/ Black	1,890.00




L L182xW36xH68

LUMA L




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40461	Die-cast aluminium	COB	3W	L207xW55xH68	L182xW36xH68	2700K/3000K /4000K/6500K	140	40°	White/ Black	2,600.00







i Ø40

LUMA RING 2



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40462	Aluminium	SMD	2W	Ø45xL62	Ø40	2700K/3000K /4000K/6500K	60lm	85°	White/ Black	2,200.00







GLOW R / GLOW S





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE	
EW40464	Aluminium	SMD	9W	Ø150xL50	2700K /3000K/4000K /5000K/6000K	540lm	360°	White/Grey/ Black	1,500.00	
			12W	Ø200xL50		720lm			1,850.00	
EW40465			9W	L150xW50xH150		540lm			1,500.00	
			12W	L200xW50xH200		720lm			1,850.00	



GLOW HALF R / GLOW HALF S





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EW40466-4W	Aluminium	SMD	4W	Ø120xL35	2700K /3000K/4000K /5000K/6000K	240lm	60°x70°	White/Grey/ Black	1,300.00
EW40466-12W			12W	Ø200xL35		500lm			1,950.00
EW40467-4W	Aluminium		4W	L35xW118xH118		240lm	360°		1,400.00
EW40467-12W			12W	L35xW200xH200		500lm			2,250.00



VERTA



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	BEAM ANGLE	COLOR	PRICE
EW40514-GU10	Aluminium+ PC	QPAR16	50W	L88xW102xH170	2700K/3000K /4000K/6500K	15° / 24° / 36°	White/Black	950.00
EW40515-GU10	Aluminium+ Glass	2xQPAR16	2x50W	L88xW125xH156		60°		950.00



ROLLER R1


MODEL NO. : EW40468
MATERIAL : Aluminium
LAMP TYPE : QPAR16
SOCKET : Gu10
POWER : Max 50W
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/ 24°/36°/60°
SIZE (mm) : L80xW68xH80
COLOR : White/Grey/Black
PRICE : 950.00



ROLLER R2


MODEL NO. : EW40469
MATERIAL : Aluminium
LAMP TYPE : 2xQPAR16
SOCKET : Gu10
POWER : Max 50W
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/ 24°/36°/60°
SIZE (mm) : L80xW68xH150
COLOR : White/Grey/Black
PRICE : 1,200.00





ROLLER S1

MODEL NO. : EW40470
MATERIAL : Aluminium
LAMP TYPE : QPAR16
SOCKET : Gu10
POWER : Max 50W
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/ 24°/36°/60°
SIZE (mm) : L80xW68xH80
COLOR : White/Grey/Black
PRICE : 950.00




ROLLER S2

MODEL NO. : EW40475-2
MATERIAL : Aluminium
LAMP TYPE : 2xQPAR16
SOCKET : Gu10
POWER : Max 50W
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/ 24°/36°/60°
SIZE (mm) : L80xW68xH150
COLOR : White/Grey/Black
PRICE : 1,200.00









SIREN 30 / SIREN 60




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30139-300	Aluminium	COB	5W	W160xH300	2700K/3000K/ 4000K/6000K	500lm	170°	White/Grey/ Black	2,500.00
EB30139-600			10W	W160xH600		1000lm			3,900.00



NASH 20 / NASH 80



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30141	Aluminium	COB	7W	L108xW108xH200	2700K/3000K/ 4000K/6000K	400lm	360°	White/Grey/ Black	3,200.00
EB30142			15W	L150xW150xH800		1650lm			6,700.00




SAIL 60 / SAIL 80





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30140-600	Aluminium	COB	10W	L50xW160xH600	2700K/3000K/ 4000K/6000K	700lm	170°	White/Grey/ Black	4,690.00
EB30140-800				L50xW160xH800		1300lm			5,290.00

TILT




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30143	Aluminium	COB	7W	L70xW200xH600	2700K/3000K /4000K/6000K	700lm	120°	White/Grey/Black	5,500.00

BLAKE




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30101	Aluminium	COB	10W	L250xW140xH600	2700K/3000K /4000K/6000K	800lm	120°	White/ Black Silver grey/Dark grey	12,000.00


MARCO



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30144-0600	Aluminium	COB	10W	W150xL160xH600	2700K/3000K /4000K/6000K	1000lm	120°	White/Grey/Black	4,790.00
EB30144-0800				W150xL160xH800					5,190.00
EB30144-01000				W150xL160xH1000					5,590.00





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30154-E12W	Aluminium	SMD	12W	L180xW180xH275	2700K/3000K /4000K/6000K	840lm	360°	Dark gaey	3,790.00
				L180xW180xH800					4,690.00



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30146-0400	Aluminium	COB	12W	L120xW120xH400	2700K/3000K /4000K/6000K	1000lm	110°	White/Grey/Black	6,290.00
EB30146-0600				L120xW120xH600					6,790.00
EB30146-0800				L120xW120xH800					7,190.00




HUSK



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30156-1513	Aluminium	SMD	10W	W390xH360	2700K/3000K /4000K/6000K	120lm	110°	Sparkle Black	8,500.00
EB30156-1515				W480xH390					12,000.00



REGENT



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30158-0650	Aluminium+ Acrylic	SMD	1.5W	Ø25xH650	2700K/3000K /4000K/6000K	100lm	360°	Gold +Sparkle Grey	1,200.00
EB30158-0800				Ø25xH800					1,350.00
EB30158-1100				Ø25xH1100					1,500.00
EB30158-1400				Ø25xH1400					1,800.00

MOONLIT




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30160-0090	Stainless steel +PE	SMD	8W	Ø250xH90	2700K/3000K /4000K/6000K	560lm	360°	Sparkle Black	4,400.00
EB30160-0165				Ø250xH165					4,400.00

ZEN




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30157	Stainless steel+ Diffusion Plate	SMD	8W	L370xW370xH340 (Bottom:400x400)	2700K/3000K /4000K/6000K	540lm	300°	Sparkle Grey	8,500.00



OWL 30


MODEL NO. : EB30159-0256
MATERIAL : Aluminum+Acrylic
LAMP TYPE : SMD
POWER : 5W
LUMENS : 280lm
CCT: 2700K/3000K/4000K/6000K
BEAM ANGLE : 360°
SIZE(mm) : L195xW195xH256
COLOR : Sparkle Grey
PRICE : 5,800.00



OWL 60

MODEL NO. : EB30159-0565
MATERIAL : Aluminum+Acrylic
LAMP TYPE : SMD
POWER : 5W
LUMENS : 280lm
CCT: 2700K/3000K/4000K/6000K
BEAM ANGLE : 360°
SIZE(mm) : L195xW195xH565
COLOR : Sparkle Grey
PRICE : 8,700.00







WILLOW



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30161-370	Stainless steel+ Glass	SMD	5W	Ø200xH370	2700K/3000K /4000K/6000K	450lm	360°	Black	6,990.00
EB30161-400				Ø235xH385					8,500.00
EB30161-575				Ø300xH575					12,800.00






HAY



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EB30162-0280	Gum Rattan	SMD	5W	Ø310xH280	2700K/3000K /4000K/6000K	350lm	360°	Black	6,200.00
EB30162-0410				Ø310xH410					7,700.00
EB30162-0520				Ø310xH520					7,900.00










FUZION 8 / FUZION 24





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40260-C008	Aluminium	SMD	4x2W	L40xW166xH102	2700K/3000K/4000K	760lm	8° /15° 20°/25°	Black	7,900.00
ES40260-C024			12x2W	L40xW506xH102	/6500K/RGB/RGBW	2280lm	30°/ 40° 10°x40°		23,900.00



CLAP 8 / CLAP 20 / CLAP 30









MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40261-008	Aluminium	SMD	8W	L43xW60xH160	2700K/3000K/4000K /6500K/RGB/RGBW	520lm	15°/24°/ 36°/50°	Black	9,300.00
ES40261-020			20W	L46xW95xH210		1300lm			14,500.00
ES40261-030			30W	L46xW135xH225		1950lm			17,800.00



URBAN 2.5 / URBAN 6



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40262	Aluminium	SMD	2.5W	Ø20xW62xH40	2700K/3000K	97lm	15°/25°/ 43°	White/Silver grey/Black	2,990.00
ES40263			6W	Ø25xW75xH40	/4000K/6500K	220lm	12°/24°/ 36°	White/Black	1,150.00





CIVIC




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40265-5W-024	Aluminium	COB	5W	Ø38xL70xH57	2700K/3000K /4000K/6500K	219lm	13°/18°/ 26°/42°	White/ Silver grey/ Black	4,450.00
ES40255-10W-024			10W	Ø38xL100xH57		542lm	16°/22°/ 32°/42°		6,250.00
ES40265-16W-024			16W	Ø62xL106xH80		743lm	13°/21°/ 32°/42°		8,850.00
ES40255-6W-220			6W	Ø62xL115xH80		262.8lm	13°/18°/ 26°/42°		5,650.00
ES40255-9W-220			9W	Ø80xL130xH100		487.8lm	16°/22°/ 32°/42°		7,290.00
ES40255-15W-220			15W	Ø80xL138xH100		689lm	13°/21°/ 32°/42°		9,950.00









MILL / MILL CAP



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40266-7W	Aluminium	COB	7W	Ø64xH210	2700K/3000K /4000K/6500K	770lm	15°/24°/ 36°/45°/60°	White/ Silver grey/ Black	3,390.00
ES40266-10W			10W			1100lm			3,390.00
ES40267-7W			7W	Ø64xH240		770lm			3,500.00
ES40267-10W			10W			1100lm			3,500.00



MILL SPIKE / MILL SPIKE CAP



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40268-7W	Aluminium	COB	7W	Ø64xH420	2700K/3000K/ 4000K/6500K	770lm	15°/24°/ 36°/45°/60°	White/ Silver grey/ Black	3,150.00
ES40268-10W			10W			1100lm			3,150.00
ES40269-7W			7W	Ø64xH450		770lm			3,300.00
ES40269-10W			10W			1100lm			3,300.00










BROOK

The LED Flood light series is suitable for emphasis lighting indoor as well as outdoors. Combined with around spike, it is also perfect for plant and garden lighting.

Dimmable or DMX512, DALI, 0-10V controllable by RGB Power supplies or contrallers, this series item also include aluminum ground base







BROOK




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40270-3W	Aluminium	COB	3W	Ø45xL70xH61	2700K/3000K /4000K/6500K	210lm	12°/24°/ 36°	White/ Silver grey/ Black	7,500.00
ES40270-5W			5W			350lm			8,500.00
ES40271-10W			10W	Ø55xL85xH68		760lm	15°/24°/ 36°		10,000.00
ES40271-15W			15W	Ø65xL105xH80		1455lm	12°/24°/ 36°		11,000.00





BROOK







MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40273-20W	Aluminium	COB	20W	Ø75xL130xH89	2700K/3000K / 4000K/6500K	1920lm	12°/24°/ 36°	White/ Silver grey/ Black	12,000.00
ES40273-25W			25W			2400lm			13,000.00
ES40274-30W			30W	Ø90xL150xH109		2700lm	10°/24°/ 36°		14,000.00
ES40274-35W			35W			3150lm			15,000.00



45° Anti - Glare
Hood



Anti - Glare
Hood







BROOK SPIKE




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
ES40275-3W	Aluminium	COB	3W	Ø45xL70xH236	2700K/3000K /4000K/6500K	210lm	12°/24°/ 36°	White/ Silver grey/ Black	7,000.00
ES40275-5W			5W			350lm			
ES40276-10W			10W	Ø55xL85xH243		760lm	15°/24°/ 36°		9,000.00
ES40277-15W			15W	Ø65xL105xH357		1455lm	12°/24°/ 36°		11,000.00






BROOK SPIKE



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE		
ES40278-20W	Aluminium	COB	20W	Ø75xL130xH365	2700K/3000K /4000K/6500K	1920lm	12°/24°/ 36°	White/ Silver grey/ Black	11,000.00		
ES40278-25W			25W			2400lm			12,000.00		
ES40279-30W			30W	Ø90xL150xH384		2700lm	10°/24°/ 36°		13,000.00		
ES40279-35W			35W			3150lm			14,500.00		








MIC



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	VOLTAGE	COLOR	PRICE
ES40290-2.1W	Aluminium	COB	2.1W	Ø35x L175xH220	2700K/ 3000K/ 4000K/ 5000K	223lm	7°/11°/ 20°33°/43°	AC220V	Black	6,990.00
			2.1W			223lm		DC24V		6,890.00
6.3W			Ø55xL200xH220	711lm		15°/24°/ 36°/50°	AC220V	7,500.00		
6.3W				711lm			DC24V	7,400.00		
ES40292-2.1W			2.1W	Ø35x L175xH600		223lm	7°/11°/ 20°33°/43°	AC220V		7,500.00
			2.1W			223lm		DC24V		7,400.00
ES40293-6.3W			6.3W	Ø55xL200xH600		711lm	15°/24°/ 36°/50°	AC220V		7,800.00
			6.3W			711lm		DC24V		7,600.00





FLIN S / FLIN M / FLIN L



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	VOLTAGE	COLOR	PRICE
ES40294	Aluminium	COB	4.5W	Ø55xL90xH110	2700K/ 3000K/ 4000K/ 5000K	508lm	10°/15°/24° /36°/50°	AC220V	Black	5,990.00
								DC24V		5,790.00
ES40297			9W	Ø75xL118xH130	1017lm	AC220V		7,500.00		
						DC24V		7,300.00		
ES40300			20W	Ø105xL142xH155	2034lm	AC220V		8,400.00		
						DC24V		8,300.00		



Honey Comb




45° Anti - Glare
Hood



Anti - Glare
Hood



Ground Spike






FLIN EX



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	VOLTAGE	COLOR	PRICE
ES40303	Aluminium	COB	4.5W	Ø55xL90xH500	2700K/ 3000K/ 4000K/ 5000K	508lm	10°/15°/24° /36°/50°	AC220V	Black	6,700.00
						DC24V		6,500.00		
ES40304			9W	Ø75xL118xH500		1017lm		AC220V		7,990.00
								DC24V		7,700.00
ES40305			20W	Ø105xL142xH500		2034lm		AC220V		8,800.00
								DC24V		8,700.00








TERRA



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	VOLTAGE	COLOR	PRICE
ES40306	Aluminium	COB	2.5W	Ø33xL50xH76	2700K/ 3000K/ 4000K/ 6500K/	200lm	30°/40°/ 60° 10°x45°/25°x45°	DC24V	White Black Gray	2,450.00
ES40307			4W	Ø43xL65xH96	2700K/ 3000K/ 4000K/ 6500K/	340lm	15°/24° /36°/55°	DC24V		2,800.00
								AC220V		2,990.00
								DC24V		3,990.00
ES40308			6W	Ø55xL70xH112	2700K- 6000K	454lm		DC24V		3,150.00
								AC220V		3,350.00
	DC24V	4500.00								







TERRA



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	VOLTAGE	COLOR	PRICE
ES40309	Aluminium	COB	10W	Ø69xL75xH128	2700K/ 3000K/ 4000K/ 6500K/	900lm	12°/24° /36°/55°	DC24V	White Black Gray	4,750.00
								AC220V		4,990.00
								2700K- 6000K		DC24V
ES40310			15W	Ø85xL90xH151	2700K/ 3000K/ 4000K/ 6500K/	1467lm		DC24V		5,200.00
								AC220V		5,700.00
								2700K- 6000K		DC24V
ES40311			23W	Ø105xL120xH185	2700K/ 3000K/ 4000K/ 6500K/	1749lm		DC24V		8,500.00
								AC220V		8,800.00
								2700K- 6000K		DC24V







CRAFT SM / CRAFT GS




MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
ES40070-SM	Aluminium	QPAR16	GU10	Ø61xL170	2700K/3000K /4000K/6500K	Silver/Black	1,680.00
ES40070-GS				Ø61xL170xH390			1,500.00



LUMAX SM / LUMAX GS




MODEL NO.	MATERIAL	LAMP TYPE	SOCKET	SIZE (mm)	CCT	COLOR	PRICE
ES40317-SM	Aluminium	QPAR16	GU10	Ø64xH227	2700K/3000K /4000K/6500K	Silver/Black	1,650.00
ES40317-GS				Ø64xH388			1,700.00



BLOX 3 / BLOX 5 / BLOX 7



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EF30104-3W	Die-cast aluminium	SMD	3W	L72x60xH93	2700K/3000K /4000K/6500K	220lm	3.5°/10°/15°/ 20°/30°/60°	Silver grey/Dark grey/Black	2,900.00
EF30104-5W			5W			360lm			3,100.00
EF30104-7W			7W			520lm			3,500.00




BLOX 9 / BLOX 20



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
EF30092-9W	Die-cast aluminium	SMD	9W	L90x100xH157	2700K/3000K/ 4000K/6500K	680lm	3.5°/10°/15°/ 20°/30°/60°	Silver grey/Dark grey/Black	3,900.00
EF30092-20W			20W			1400lm			8,300.00





SUB 1 / SUB 3 / SUB 7

MODEL NO. : UG30166

MATERIAL : 316L stainless steel front cover. Aluminium housing

LAMP TYPE : SMD

POWER : 1.5W/3.5W/7W

LUMENS : 100lm/250lm/350lm

CCT: 2700K/3000K/4000K/6500K/

RGB/RGBW

BEAM ANGLE :

(1.5W) 21°/30°/16.28°

(3.5W) 13°/18° / 27°/43°

(7W) 15°/21°/32°/40°

SIZE (mm) :

(1.5W) Ø25xH50

(3.5W) Ø50xH63

(7W) Ø75xH96

CUT-OUT (mm) :

(1.5W) Ø25xH65

(3.5W) Ø45xH90

(7W) Ø72xH120

COLOR : 316L stainless steel

PRICE : 2,500.00/3,990.00/5,500.00



Honey Comb

Half Moon







NODE




MODEL NO. : UG30164
MATERIAL : 316L stainless steel front cover.
 Aluminium housing
LAMP TYPE : SMD
POWER : 2W
LUMENS : 100lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 67°
SIZE (mm) : Ø60xH41.5
CUT-OUT (mm) : Ø55xH72
COLOR : 316L stainless steel
PRICE : 3,990.00



NODE



MODEL NO. : UG30165
MATERIAL : 316L stainless steel front cover.
 Aluminium housing
LAMP TYPE : SMD
POWER : 2x2W
LUMENS : 2x100lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 67°
SIZE (mm) : Ø60xH41.5
CUT-OUT (mm) : Ø55xH72
COLOR : 316L stainless steel
PRICE : 4,800.00








GAZE




Honey comb

MODEL NO. : UG30163
MATERIAL : 316L stainless steel front cover.
 Aluminium housing
LAMP TYPE : SMD
POWER : 6W
LUMENS : 726lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/ 36°/50°
SIZE (mm) : Ø75xH60
CUT-OUT (mm) : Ø71xH68
COLOR : 316L stainless steel
PRICE : 6,500.00











BAY

MODEL NO. : UG30161
MATERIAL : 316L stainless steel front cover.
 Aluminium housing
LAMP TYPE : SMD
POWER : 1.2W
LUMENS : 100lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 120°
SIZE (mm) : Ø35xH25
CUT-OUT (mm) : Ø30xH30
COLOR : 316L stainless steel
PRICE : 2,500.00




BAY

MODEL NO. : UG30162
MATERIAL : 316L stainless steel front cover.
 Aluminium housing
LAMP TYPE : SMD
POWER : 3W
LUMENS : 180lm
CCT: 2700K/3000K/4000K/6500K
BEAM ANGLE : 15°/24°/ 36°/50°
SIZE (mm) : Ø58xH50
CUT-OUT (mm) : Ø55xH70
VOLTAGE: 12V 350mA
COLOR : 316L stainless steel
PRICE : 4,800.00



SUB 10

MODEL NO. : UG30167
MATERIAL : 316 stainless steel front cover.
 Aluminium housing
LAMP TYPE : COB
POWER : 10W
LUMENS : 1350lm
CCT: 2700K/3000K/4000K/6500K/RGB/RGB
BEAM ANGLE : 18°/24°/ 38°/60°
SIZE (mm) : Ø130xH133
CUT-OUT (mm) : Ø119xH136
COLOR : 316 stainless steel
PRICE : 7,350.00






HYDRO




Honey Comb



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10117-1.5W	316L stainless steel+ Tempered glass	SMD	1.5W	Ø38xL65	Ø34xH83	2700K/3000K /4000K/6500K	140lm	10°/25°/ 40°/60°	316L Stainless steel	3,500.00




Honey Comb



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10117-2W	316L stainless steel+ Tempered glass	SMD	2W	Ø55xH82	Ø48xH115	2700K/3000K /4000K/6500K	160lm	15°/25°/ 36°/60°	316L Stainless steel	4,300.00



Honey Comb




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10117-2W- RGBW	316L stainless steel+ Tempered glass	SMD	3W	Ø55xH82	Ø48xH115	RGBW	100lm	25°/40°/60°	316L Stainless steel	5,350.00



Honey Comb

AQUA R




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10098	316L stainless steel+ Tempered glass	SMD	3W	Ø52xH65	Ø47xH80	2700K/3000K/4000K/6500K	210lm	8°/10°/25°/40°/60°	S 316L stainless steel	5,500.00
			2.5W			RGBW		15°/40°/60°		5,500.00



Honey Comb


AQUA S



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10114	316L stainless steel+ Tempered glass	SMD	3W	L52x-W52xH65	Ø47xH80	2700K/3000K/4000K/6500K	210lm	8°/10°/25°/40°/60°	316L Stainless steel	5,700.00
			2.5W			RGBW		15°/40°/60°		5,700.00



Honey Comb




REEF




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10115-9W	316L stainless steel+ Tempered glass	SMD	3x3W	Ø115xH103	Ø80xH117	2700K/3000K/4000K/6500K	769lm	10°/25°/40°/60°/80°/10°x45°/25°x45°	316L Stainless steel	8,500.00
						RGBW	260lm	12°/25°/40°/60°/12°x45°		9,500.00





Honey Comb




REEF



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT- OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10115-36W	316L stainless steel+ Tempered glass	SMD	12X3W	Ø170xH130	Ø135xH145	2700K/3000K/4000K/6500K	2800lm	10°/25°/40°/60°/80°/10°x45°/25°x45°	316L Stainless steel	15,000.00
						RGBW	1260lm	12°/25°/40°/60°/12°x45°		16,500.00




TIDE



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CUT - OUT (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10116	316L stainless steel+ Tempered glass	SMD	9W	Ø160xH62	Ø136xH83	2700K/ 3000K/ 4000K/ 6500K	630lm	15°/30°/ 45°/60°	316L Stainless steel	35,000.00
			18W			2700K/ 3000K/ 4000K/ 6500K	1260lm			35,000.00
			18W			RGB-DMX512	1260lm			39,000.00






MARINER




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10118	316 stainless steel+ Tempered glass	COB	3W	Ø42xH77	2700K/3000K/4000K/6500K	210lm	10°/15°/40°/60°/80°/10°x45°/25°x45°	316 Stainless steel	4,990.00
		SMD	4W		RGBW	100lm	25°/40°/60°		5,990.00




MARINER



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10119	316 stainless steel+ Tempered glass	COB	6W	Ø65xH155	2700K/3000K/4000K/6500K	540lm	15°/24°/36°/55°	316 Stainless steel	6,990.00
		SMD	3x2W		2700K/3000K/4000K/6500K	300lm	10°/15°/40°/60°/80°/10°x45°/25°x45°		7,200.00
		SMD	3x3.5W		RGBW	260lm	25°/40°/60°		8,250.00



Honey Comb



MARINER





MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
UW10120	316 stainless steel+ Tempered glass	COB	15W	Ø125xH194	2700K/3000K/4000K/6500K	1200lm	15°/24°/36°/55°	316 Stainless steel	9,500.00
UW10121		SMD	6x2.5W		2700K/3000K/4000K/6500K	950lm	10°/15°/40°/60°/80°/10°x45°/25°x45°		9,700.00
		SMD	6x3.5W		RGBW	630lm	25°/40°/60°		11,000.00



SHISEIDO







BLADE



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE	
LW10282-A-A3Z-0500	Aluminium	SMD	9W	L500xW42xH62	2700K/3000K/ 4000K/5000K/ 6000K/RGB/RGBW	1056lm	10°/15°/30°/40°/ 60°/15°x45°	Silver	3,950.00	
LW10282-B-A3Z-0500				L500xW42xH92					4,20000	
LW10282-A-A3Z-1000			18W	L1000xW42xH62		2380lm			5,500.00	
LW10282-B-A3Z-1000				L1000xW42xH92					5,800.00	





Rubber Cable


IP67 Connector



LW10258 AC 220-240V




LW10259 DC 24V



RIDGE



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10258	Aluminium	SMD	18W	L1000xW46.5xH75	2700K/3000K/ 4000K/6500K	1530lm	10°/15°/30°/ 45°/60°/ 12°x25°/10°x60°	Aluminium silver	9,900.00
			25W			2125lm			11,500.00
			36W			3060lm			12,500.00
			18W			1530lm			8,500.00
LW10259	Aluminium	SMD	25W	L1000xW46.5xH75	2700K/3000K/ 4000K/6500K	2125lm	10°/15°/30°/ 45°/60°/ 12°x25°/10°x60°	Aluminium silver	8,800.00
			36W			3060lm			9,500.00
			17.28W			1469lm			11,500.00
			17.28W		RGBW	1469lm	30°/ 45°/60°/30°x60°		11,500.00



RIDGE 20A AC/RIDGE 36A AC




MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10260-42W-220	Aluminium	SMD	42W	L1044x W36xH83	2700K/3000K/ 4000K/6500K	4,200lm	10°/15°/30°/ 45°/60°/10°x25° /20°x35°	Silver	12,500.00
LW10260-42W-024									10,000.00



Rubber Cable



IP67 Connector



RIDGE 342A DC/REDGE 342A AC



MODEL NO.	MATERIAL	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	COLOR	PRICE
LW10261-42W-220	Aluminium	SMD	42W	L1165x W45xH58	2700K/3000K/ 4000K/6500K	4200lm	10°/15°/30°/ 45°/60°/10°x25° /20°x35°	Silver	14,000.00
LW10261-42W-024									12,500.00






Rubber Cable




IP67 Connector















MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10379-5W	320	COB	5W	L5000xW8xH1.85	2700K	729lm	160°	550.00	600.00
					3000K	768lm			
					4000K	824lm			
					6000K	872lm			






MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10380-10W	320	CSP PRO	10W	L5000xW8xH1.85	2700K	970lm	160°	750.00	800.00
					3000K	1010lm			
					4000K	1036lm			
					6500K	1030lm			






MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10382	540	CSP	15W	L5000xW10xH1.7	RGB	550lm	160°	1,200.00	1,400.00
IL10383	896		16W		RGBW	790lm		1,400.00	1,550.00



MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10418-19	576	CSP	19.8W	L5000xW10xH1.85	2700K-6500K	1700lm	160°	1,200.00	1,400.00
IL10384	840		16W	L5000xW12xH1.85	RGB+WW2700-6500K	1150lm		1,300.00	1,500.00




MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10385	320	COB	10W	L5000xW8xH2.3	2700K	770lm	160°	700.00	750.00
					3000K	800lm			
					4000K	900lm			
					6500K	900lm			






MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10388	480	CSP	14.4W	L5000xW8xH1.85	2700K	1300lm	160°	790.00	890.00
					3000K	1330lm			
					4000K	1360lm			
					6500K	1340lm			








MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10391	80	SMD	5W	L5000xW12.5xH4.2	2700K	690lm	120°	-	2,200.00
					3000K	720lm			
					4000K	745lm			
					6500K	705lm			





MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10392	128	SMD	9.6W	L5000xW8xH1.1	2700K	1104lm	120°	700.00	750.00
					3000K	1132lm			
					4000K	1200lm			
					6500K	1200lm			



MODEL NO.	Number Led/M	LAMP TYPE	POWER	SIZE (mm)	CCT	LUMENS	BEAM ANGLE	PRICE	
								IP20	IP65
IL10434	160	SMD	14.4W	L5000xW10xH1.1	2700K	1584lm	120°	750.00	800.00
					3000K	1612lm			
					4000K	1928lm			
					6500K	1928lm			








Features

- Silicagel material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be use in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10395-XX	120	SMD	6W	DC 24V	5m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	180lm	50mm	120°	Ra≥80	850.00
3000K	195lm				
4000K	205lm				
5700K	220lm				
6500K	220lm				




MODEL NO. : IL10395
MATERIAL : IP67 DIY Moulded Connector (Direct)
SIZE(mm) : L10xW6.5xH10.5
PRICE : 25.00



MODEL NO. : IL10395
MATERIAL : IP67 DIY Moulded End Cap
SIZE(mm) : L10xW6.5xH10.5
PRICE : 25.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø 16xL75
PRICE : 390.00



MODEL NO. : IA10472
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW7xH11
PRICE : 220.00





MODEL NO. : IA10549
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW6xH9
PRICE : 190.00






MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00

Installation process



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- Silicagel material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be used in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10396-XX	72	SMD	10W	DC 24V	13m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	270lm	83.3mm	120°	Ra≥80	1,450.00
3000K	280lm				
4000K	305lm				
5700K	325lm				
6500K	325lm				



MODEL NO. : IL10396
MATERIAL : Injection-moulded Direct Connector
SIZE(mm) : L11xW12.6xH18.2
PRICE : 490.00



MODEL NO. : IL10396
MATERIAL : Injection-moulded Side Connector
SIZE(mm) : L11.2xW12.6xH18
PRICE : 490.00



MODEL NO. : IL10396
MATERIAL : Injection-moulded Bottom Connector
SIZE(mm) : L11xW12.6xH31
PRICE : 490.00



MODEL NO. : IL10396
MATERIAL : Injection-moulded Middle Connector
SIZE(mm) : L21.9xW20xH18
PRICE : 790.00




MODEL NO. : IL10396
MATERIAL : Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 990.00



MODEL NO. : IL10396
MATERIAL : Injection-moulded End Cap
SIZE(mm) : L2xW9.55xH17.7
PRICE : 330.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 490.00



MODEL NO. : IA10473
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW12xH21
PRICE : 250.00





MODEL NO. : IA10474
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW10xH18.5
PRICE : 390.00





MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00

Installation process



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- PVC material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be use in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection
- Submersible ≤2m

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/Single End
IL10397-XX	72	SMD	10W	DC 24V	13m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	270lm				
3000K	280lm				
4000K	305lm	83.3mm	120°	Ra≥80	1,250.00
5700K	325lm				
6500K	325lm				



MODEL NO. : IL10397
MATERIAL : IP 68 Dual Injection-moulded Direct Connector
SIZE(mm) : L69xW14.xH22
PRICE : 950.00



MODEL NO. : IL10397
MATERIAL : IP 68 Dual Injection-moulded Side Connector
SIZE(mm) : L39.4xW45xH22.3
PRICE : 950.00



MODEL NO. : IL10397
MATERIAL : IP 68 Dual Injection-moulded Bottom Connector
SIZE(mm) : L45xW14.xH47.8
PRICE : 950.00




MODEL NO. : IL10397
MATERIAL : IP 68 Dual Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 2,200.00



MODEL NO. : IL10397
MATERIAL : IP 68 Dual Injection-moulded End Cap
SIZE(mm) : L45xW3.xH22
PRICE : 690.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 490.00



MODEL NO. : IA10473
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW12xH21
PRICE : 250.00





MODEL NO. : IA10474
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW10xH18.5
PRICE : 390.00






MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00

Installation process



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- Silicagel material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be use in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/Single End
IL10398-XX	120	SMD	13W	DC 24V	10m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	580lm				
3000K	580lm				
4000K	610lm	50mm	120°	Ra≥80	1,300.00
5700K	630lm				
6500K	640lm				



MODEL NO. : IL10398
MATERIAL : Injection-moulded Direct Connector
SIZE(mm) : L18xW13.5xH15
PRICE : 490.00



MODEL NO. : IL10398
MATERIAL : Injection-moulded Side Connector
SIZE(mm) : L25xW12.5xH15
PRICE : 490.00



MODEL NO. : IL10398
MATERIAL : Injection-moulded Bottom Connector
SIZE(mm) : L18.2xW12.6xH30
PRICE : 490.00



MODEL NO. : IL10398
MATERIAL : Injection-moulded Middle Connector
SIZE(mm) : L27.5xW20xH18.8
PRICE : 790.00




MODEL NO. : IL10398
MATERIAL : Injection-moulded End Cap
SIZE(mm) : L200-2000
PRICE : 990.00



MODEL NO. : IL10398
MATERIAL : Injection-moulded End Cap
SIZE(mm) : L2xW16.6xH17.2
PRICE : 330.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 400.00



MODEL NO. : IA10475
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW19xH20
PRICE : 250.00





MODEL NO. : IA10476
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW17xH20
PRICE : 220.00





MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00

Installation process



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- PVC material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be use in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection
- Submersible ≤2m

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10400-XX	108	SMD	9W	DC 24V	12m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	680lm	55.5 mm	120°	Ra≥80	1,890.00
3000K	680lm				
4000K	730lm				
5700K	790lm				
6500K	800lm				



MODEL NO. : IL10400
MATERIAL : IP 68 Dual Injection-moulded Direct Connector
SIZE(mm) : L69xW20.7xH22.3
PRICE : 950.00



MODEL NO. : IL10400
MATERIAL : IP 68 Dual Injection-moulded Side Connector
SIZE(mm) : L45xW25xH22
PRICE : 950.00



MODEL NO. : IL10400
MATERIAL : IP 68 Dual Injection-moulded Bottom Connector
SIZE(mm) : L45xW25xH46.8
PRICE : 950.00




MODEL NO. : IL10400
MATERIAL : IP 68 Dual Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 2200.00



MODEL NO. : IL10400
MATERIAL : IP 68 Dual Injection-moulded End Cap
SIZE(mm) : L45xW20.7xH21.5
PRICE : 690.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 490.00



MODEL NO. : IA10477
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW19xH20
PRICE : 250.00





MODEL NO. : IL10343
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW17xH20
PRICE : 390.00





MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00

Installation process



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- Silicagel material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be used in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10399-XX	120	SMD	12W	DC 24V	10m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	560lm	50mm	120°	Ra≥80	1,100.00
3000K	560lm				
4000K	570lm				
5700K	590lm				
6500K	600lm				



MODEL NO. : IL10399
MATERIAL : Injection-moulded Direct Connector
SIZE(mm) : L18xW13xH15
PRICE : 490.00



MODEL NO. : IL10399
MATERIAL : Injection-moulded Side Connector
SIZE(mm) : L25xW14.5xH15
PRICE : 490.00



MODEL NO. : IL10399
MATERIAL : Injection-moulded Bottom Connector
SIZE(mm) : L18xW13xH25
PRICE : 490.00




MODEL NO. : IL10399
MATERIAL : Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 990.00



MODEL NO. : IL10399
MATERIAL : Injection-moulded End Cap
SIZE(mm) : L18xW13xH15
PRICE : 330.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 490.00



MODEL NO. : IA10475
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW16xH16
PRICE : 250.00




MODEL NO. : IA10476
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW14xH15
PRICE : 390.00




MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00


Installation process




1/ Cut according to the required length. Cut at the mark position




2/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the lamp band and use after 30 minutes.




3/ Need outlet : penetrate wire into the plug hole to the other end of the plug





4/ Weld wire through the plug on FPC, positive Welding on (+), negative Welding on (-).



5/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the strip and use after 30 minutes.



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- Silicagel material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be use in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10401-XX	84	SMD	6W	DC 24V	20m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
2700K	220lm				
3000K	250lm				
4000K	270lm	71.4mm	120°	Ra≥80	1,850.00
5700K	300lm				
6500K	310lm				



MODEL NO. : IL10401
MATERIAL : Injection-moulded Direct Connector
SIZE(mm) : L11.5xW12.6xH21.8
PRICE : 490.00



MODEL NO. : IL10401
MATERIAL : Injection-moulded Side Connector
SIZE(mm) : L14.6xW13.5xH21
PRICE : 490.00



MODEL NO. : IL10401
MATERIAL : Injection-moulded Bottom Connector
SIZE(mm) : L16.2xW12.6xH34
PRICE : 490.00



MODEL NO. : IL10401
MATERIAL : Injection-moulded Middle Connector
SIZE(mm) : L20xW24.5xH21
PRICE : 790.00




MODEL NO. : IL10401
MATERIAL : Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 990.00



MODEL NO. : IL10401
MATERIAL : Injection-moulded End Cap
SIZE(mm) : L2xW12.1xH21.1
PRICE : 330.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 590.00



MODEL NO. : 1A10479
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW14.5xH24
PRICE : 250.00



MODEL NO. : 1A10480
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW12.5xH22.5
PRICE : 390.00




MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00


Installation process




1/ Cut according to the required length. Cut at the mark position




2/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the lamp band and use after 30 minutes.




3/ Need outlet : penetrate wire into the plug hole to the other end of the plug






4/ Weld wire through the plug on FPC, positive Welding on (+), negative Welding on (-).



5/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the strip and use after 30 minutes.



Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.



Features

- PVC material, high temperature resistance, yellowing resistance, can be used in outdoor harsh weather.
- Good flexibility, good bending, easy modeling and antipulling force.
- Corrosion resistance, acid and alkali can be used in extremely harsh conditions.
- High brightness chip LED, pure gold wire, pure copper bracket packaging, good heat dissipation, high stability, long service life.
- Lead free SMT process (RoHS), smooth solder joints, solid and reliable connection
- Submersible ≤ 2m

MODEL NO.	LED Qty/M	LAMP TYPE	POWER	WORKING VOLTAGE	Max Run Length/ Single End
IL10402-XX	60	SMD	15W	DC 24V	7m

CCT	LUMENS	CUTTING LENGTH	BEAM ANGLE	CRI	PRICE
-----	--------	----------------	------------	-----	-------

RGBW (2700K)

RGBW (3000K)

RGBW (4000K)

RGBW (6500K)

265lm 100mm 120° Ra≥80 1,750.00



MODEL NO. : IL10402
MATERIAL : IP 68 Dual Injection-moulded Direct Connector
SIZE(mm) : L69xW16xH25.8
PRICE : 1,190.00



MODEL NO. : IL10402
MATERIAL : IP 68 Dual Injection-moulded Side Connector
SIZE(mm) : L45xW25xH25.3
PRICE : 1,190.00



MODEL NO. : IL10402
MATERIAL : IP 68 Dual Injection-moulded Bottom Connector
SIZE(mm) : L45xW16xH51.2
PRICE : 1,190.00




MODEL NO. : IL10402
MATERIAL : IP 68 Dual Injection-moulded Middle Jumper Connector
SIZE(mm) : L200-2000
PRICE : 2,390.00



MODEL NO. : IL10402
MATERIAL : IP 68 Dual Injection-moulded End Cap
SIZE(mm) : L45xW15.5xH25
PRICE : 690.00



MODEL NO. : AC10589
MATERIAL : IP67 DIY Waterproof Connector Male & Female : 2 Pin
SIZE(mm) : Ø20.4xL88
PRICE : 550.00



MODEL NO. : 1A10479
MATERIAL : Aluminum Profile
SIZE(mm) : L1000xW1.5xH24
PRICE : 250.00



MODEL NO. : 1A10480
MATERIAL : Bandable Stainless Steel Profile
SIZE(mm) : L1000xW12.5xH22.5
PRICE : 390.00




MODEL NO. : AC10590
MATERIAL : Glue for Silicone DIY Connectors -100g
PRICE : 640.00


Installation process




1/ Cut according to the required length. Cut at the mark position




2/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the lamp band and use after 30 minutes.




3/ Need outlet : penetrate wire into the plug hole to the other end of the plug




4/ Weld wire through the plug on FPC, positive Welding on (+), negative Welding on (-).



5/ At the end of the outlet line, the inside of the plug and the outside of the strip are coated with special silica gel adhesive, and then put into the slot and use after 30 minutes.




Find the right screw to ensure that the head of the screw is not too high. Fix the fastener in the desired position. Finally, clip the strip in the slot.







ALUMINIUM PROFILE ACCESSORIES




MODEL NO. : IA10397
MATERIAL : Aluminium
SIZE(mm) : L1000x W7.8xH9
COLOR : White/Silver/Black
PRICE : 275.00




MODEL NO. : IA10407
MATERIAL : Aluminium
SIZE(mm) : L1000xW8xH9
COLOR : White/Silver/Black
PRICE : 300.00




MODEL NO. : IA10408
MATERIAL : Aluminium
SIZE(mm) : L1000xW10xH10.6
COLOR : White/Silver/Black
PRICE : 290.00




MODEL NO. : IA10409
MATERIAL : Aluminium
SIZE(mm) : L1000xW10xH13
COLOR : White/Silver/Black
PRICE : 350.00



MODEL NO. : IA10410
MATERIAL : Aluminium
SIZE(mm) : L1000xW24.6xH7
COLOR : White/Silver/Black
PRICE : 360.00




MODEL NO. : IA10329
MATERIAL : Aluminium
SIZE(mm) : L1000xW17xH8
COLOR : White/Silver/Black
PRICE : 275.00




ALUMINIUM PROFILE ACCESSORIES




MODEL NO. : IA10055
MATERIAL : Aluminium
SIZE(mm) : L1000xW17.65xH7
COLOR : White/Silver/Black
PRICE : 300.00




MODEL NO. : IA10072
MATERIAL : Aluminium
SIZE(mm) : L1000xW16xH16
COLOR : White/Silver/Black
PRICE : 300.00




MODEL NO. : IA10435
MATERIAL : Aluminium
SIZE(mm) : L1000xW30xH30
COLOR : White/Silver/Black
PRICE : 650.00




MODEL NO. : IA10062
MATERIAL : Aluminium
SIZE(mm) : L1000xW15.9xH6
COLOR : White/Silver/Black
PRICE : 310.00



MODEL NO. : IA10011
MATERIAL : Aluminium
SIZE(mm) : L1000xW17.3xH14.5
COLOR : White/Silver/Black
PRICE : 380.00




MODEL NO. : IA10305
MATERIAL : Aluminium
SIZE(mm) : L1000xW22xH11.7
COLOR : White/Silver/Black
PRICE : 380.00




ALUMINIUM PROFILE ACCESSORIES





MODEL NO. : IA10173
MATERIAL : Aluminium
SIZE(mm) : L1000xW13.4xH7.1
COLOR : White/Silver/Black
PRICE : 295.00






MODEL NO. : IA10449
MATERIAL : Aluminium
SIZE(mm) : L1000xW20.2xH22
COLOR : White/Silver/Black
PRICE : 790.00




MODEL NO. : IA10450
MATERIAL : Aluminium
SIZE(mm) : L1000xW19.5xH22
COLOR : White/Silver/Black
PRICE : 590.00




MODEL NO. : IA10528
MATERIAL : Aluminium
SIZE(mm) : L1000xW50xH35
COLOR : White/Silver/Black
PRICE : 1,990.00




MODEL NO. : IA10454
MATERIAL : Aluminium
SIZE(mm) : L1000xW64.6xH35
COLOR : White/Silver/Black
PRICE : 2,200.00





MODEL NO. : IA10451
MATERIAL : Aluminium
SIZE(mm) : L1000xW23.5xH8.5
COLOR : White/Silver/Black
PRICE : 350.00





ALUMINIUM PROFILE ACCESSORIES




MODEL NO. : IA10353
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW35xH35
 COLOR : White/Silver/Black
 PRICE : 1,600.00




MODEL NO. : IA10430
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW50xH35
 COLOR : White/Silver/Black
 PRICE : 1,700.00




MODEL NO. : IA10364
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW50xH50
 COLOR : White/Silver/Black
 PRICE : 2,200.00




MODEL NO. : IA10455
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW50xH70
 COLOR : White/Silver/Black
 PRICE : 2,500.00




MODEL NO. : IA10458
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW75xH35
 COLOR : White/Silver/Black
 PRICE : 1,400.00





MODEL NO. : IA10367
 MATERIAL : Aluminium
 SIZE(mm) : L1000xW17.4xH5.76
 COLOR : White/Silver/Black
 PRICE : 180.00





SILICONE PROFILE ACCESSORIES





MODEL NO. : IA10459
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW15xH10
 COLOR : White
 PRICE : 295.00




MODEL NO. : IA10460
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW18xH12
 COLOR : White
 PRICE : 450.00




MODEL NO. : IA10461
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW23xH16
 COLOR : White
 PRICE : 590.00





MODEL NO. : IA10462
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW26xH16
 COLOR : White
 PRICE : 620.00




MODEL NO. : IA10463
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW28xH20
 COLOR : White Housing+White or Black edges
 PRICE : 690.00




MODEL NO. : IA10461
 MATERIAL : Silicone housing
 SIZE(mm) : L100xW37xH20
 COLOR : White
 PRICE : 920.00



MODEL NO. : IA10465
 MATERIAL : Silicone housing
 SIZE(mm) : L1000xW56xH15
 COLOR : White
 PRICE : 1,250.00




CONNECTOR STRIP LIGHT ACCERIES



MODEL NO. : AC10544

PRICE : 25.00


PCB to PCB, PCB to wire (22AWG), wire (22AWG) (22AWG). to wire (22AWG); Strip type: 8mm PCB
Single color 2Pin without wire (22AWG) (22AWG) included
Working both SMD / COB strip light
**You can use wire DIRECTLY, NO need pre-fixed with wire"



MODEL NO. : AC10548

PRICE : 90.00


T&L seamless quick connector;
Strip type: 8mm PCB
Single color 2Pin
Working both SMD / COB strip light



MODEL NO. : AC10545

PRICE : 40.00


Strip type: 8mm PCB
Single color 2Pin
Working SMD / COB/ WCOB strip light



MODEL NO. : AC10548

PRICE : 95.00


T & L seamless quick connector;
Strip type: 10mm PCB
Single color 2Pin
Working both SMD / COB strip light



MODEL NO. : AC10546

PRICE : 45.00

Strip type: 10mm PCB
Single color 2Pin
Working SMD / COB/ WCOB strip light



MODEL NO. : AC10549

PRICE : 30.00


Strip type: 5mm PCB
Single color: 2Pin
Strip to strip
Only working with COB strip light



MODEL NO. : AC10546

PRICE : 50.00


Strip type: 10mm PCB
Single color 2Pin
Working SMD / COB/ WCOB strip light



MODEL NO. : AC10549

PRICE : 30.00


Strip type: 8mm PCB
Single color 2Pin
Strip to strip
working with COB/SMD strip light



MODEL NO. : AC10544

PRICE : 30.00


PCB to PCB, PCB to wire (22AWG), wire (22AWG) (22AWG). to wire (22AWG); Strip type: 10mm PCB
Single color 2Pin without wire (22AWG) (22AWG) included
Working both SMD / COB strip light
**You can use wire DIRECTLY, NO need pre-fixed with wire



MODEL NO. : AC10549

PRICE : 30.00


Strip type: 10mm PCB
Single color 2Pin
Strip to strip
Working with COB/SMD strip light



MODEL NO. : AC10547

PRICE : 75.00


L seamless quick connector;
Strip type: 8mm PCB
Single color 2Pin
Working both SMD / COB strip light



MODEL NO. : AC10549

PRICE : 35.00


Strip type: 12mm PCB
Single color 2Pin
Strip to strip
Only working with SMD strip light



MODEL NO. : AC10547

PRICE : 80.00

"L seamless quick connector;
Strip type: 10mm PCB
Single color 2Pin
Working both SMD / COB strip light"




MODEL NO. : AC10549

PRICE : 35.00

Strip type: 10mm PCB
Single color 4Pin RGB
Strip to strip
Only working with COB strip light


CONNECTOR STRIP LIGHT ACCERIES



MODEL NO. : AC10549
PRICE : 35.00
 Strip type: 10mm PCB
 Single color 4Pin RGB
 Strip to strip
 Only working with SMD strip light




MODEL NO. : AC10550
PRICE : 50.00
 Strip type: 10mm PCB
 Single color 2Pin
 Strip to wire (22AWG), including 15CM wire (22AWG)
 Working with COB/SMD strip light




MODEL NO. : AC10549
PRICE : 40.00
 Strip type: 12mm PCB
 Single color 4Pin RGB
 Strip to strip
 Only working with SMD strip light




MODEL NO. : AC10550
PRICE : 50.00
 Strip type: 12mm PCB
 Single color 2Pin
 Strip to wire (22AWG), including 15CM wire (22AWG)
 Working with SMD strip light




MODEL NO. : AC10549
PRICE : 45.00
 Strip type: 12mm PCB
 Single color 5Pin RGBW
 Strip to strip
 Only working with SMD/DMX15 strip light




MODEL NO. : AC10551
PRICE : 50.00
 Strip type: 5mm PCB
 Single color 2Pin
 Strip to strip
 Only working with COB strip light




MODEL NO. : AC10549
PRICE : 40.00
 Strip type: 12mm PCB
 Single color 5Pin RGBW
 Strip to strip
 Only working with SMD/DMX15 strip light



MODEL NO. : AC10551
PRICE : 60.00
 Strip type: 8mm PCB
 Single color 2Pin
 Strip to strip
 working with COB/SMD strip light




MODEL NO. : AC10549
PRICE : 45.00
 Strip type: 12mm PCB
 Single color 5Pin RGBW
 Strip to strip
 Only working with COB strip light




MODEL NO. : AC10551
PRICE : 60.00
 Strip type: 10mm PCB
 Single color 2Pin
 Strip to strip
 Working with COB/SMD strip light




MODEL NO. : AC10550
PRICE : 55.00
 Strip type: 5mm PCB
 Single color 2Pin
 Strip to wire (22AWG), including 15CM wire (22AWG)
 Only working with COB/SMD strip light



MODEL NO. : AC10551
PRICE : 65.00
 Strip type: 12mm PCB
 Single color 2Pin
 Strip to strip
 Only working with SMD strip light




MODEL NO. : AC10550
PRICE : 50.00
 Strip type: 8mm PCB
 Single color 2Pin
 Strip to wire (22AWG), including 15CM wire (22AWG)
 Working with COB/SMD strip light




MODEL NO. : AC10551
PRICE : 65.00
 Strip type: 10mm PCB
 Single color 4Pin RGB
 Strip to strip
 Only working with COB strip light


CONNECTOR STRIP LIGHT ACCERIES




MODEL NO. : AC10551
PRICE : 65.00
 Strip type: 10mm PCB
 Single color 4Pin RGB
 Strip to strip
 Only working with SMD strip light




MODEL NO. : AC10553
PRICE : 130.00
 Strip type: 8mm PCB
 Single color 2Pin
 Strip to Wire, with 15CM wire
 Working with COB/SMD strip light




MODEL NO. : AC10551
PRICE : 65.00
 Strip type: 12mm PCB
 Single color 4Pin RGB
 Strip to strip
 Only working with SMD strip light




MODEL NO. : AC10553
PRICE : 135.00
 Strip type: 10mm PCB
 Single color 2Pin
 Strip to Wire, with 15CM wire
 Working with COB/SMD strip light




MODEL NO. : AC10552
PRICE : 85.00
 "Strip type: 8mm PCB
 Single color 2Pin
 Strip to strip
 Working with COB SMD strip light"




MODEL NO. : AC10553
PRICE : 130.00
 Strip type: 12mm PCB
 Single color 2Pin
 Strip to Wire, with 15CM wire
 Only working with SMD strip light




MODEL NO. : AC10552
PRICE : 85.00
 "Strip type: 10mm PCB
 Single color 2Pin
 Strip to strip
 Working with COB /SMD strip light"




MODEL NO. : AC10553
PRICE : 145.00
 Strip type: 10mm PCB
 Single color 4Pin RGB
 Strip to Wire, with 15CM wire
 Only working with COB strip light




MODEL NO. : AC10552
PRICE : 85.00
 "Strip type: 12mm PCB
 Single color 2Pin
 Strip to strip
 Only working with SMD strip light"




MODEL NO. : AC10553
PRICE : 145.00
 Strip type: 10mm PCB
 Single color 4Pin RGB
 Strip to Wire, with 15CM wire
 Only working with SMD strip light




MODEL NO. : AC10552
PRICE : 95.00
 "Strip type: 12mm PCB
 Single color 4Pin RGB
 Strip to strip
 Working with COB/SMD strip light"



MODEL NO. : AC10553
PRICE : 155.00
 Strip type: 12mm PCB
 Single color 4Pin RGB
 Strip to Wire, with 15CM wire
 Working with COB/SMD strip light




MODEL NO. : AC10552
PRICE : 100.00
 "Strip type: 12mm PCB
 Single color 5Pin RGBW
 Strip to strip
 Only working with SMD strip light"



MODEL NO. : AC10553
PRICE : 150.00
 Strip type: 10mm PCB
 Single color 5Pin RGBW
 Strip to Wire, with 15CM wire
 Only working with SMD strip light

CONNECTOR STRIP LIGHT ACCERIES



MODEL NO. : AC10553


PRICE : 160.00

Strip type: 12mm PCB

Single color 5Pin RGBW

Strip to Wire, with 15CM wire


Only working with SMD strip light



MODEL NO. : AC10554

PRICE : 10.00

end cap for IP67 LED strip,
for 8mm PCB Strip




MODEL NO. : AC10554

PRICE : 10.00

end cap for IP67 LED strip,
for 10mm PCB Strip

ADHESIVE TAPE OPTIONS

3M 9448A Double Coated Adhesive
Tape Standard Level for General Indoor Use




3M 55230H Double Coated Adhesive
Tape High Level for General Indoor Use



3M 3M9495LE Double Coated Adhesive
Tape High Level for General Indoor Use



3M VHB Double Coated Adhesive
Tape High Level for Waterproof Strips Use



Blue Heat-conducting Double-Coated
Adhesive Tape High Level for High
Wattages Strips & Aluminum Profiles



POWER SUPPLY



MODEL NO. : CO10210-24-015
POWER : 15W
SIZE : L85xW57xH34
PRICE : 290.00



MODEL NO. : CO10210-24-0150
POWER : 150W
SIZE : L199xW97xH42
PRICE : 690.00



MODEL NO. : CO10210-24-025
POWER : 25W
SIZE : L85xW57xH34
PRICE : 320.00



MODEL NO. : CO10210-24-0180
POWER : 180W
SIZE : W97xL199xH42
PRICE : 720.00



MODEL NO. : CO10210-24-035
POWER : 35W
SIZE : W78xL110xH42
PRICE : 400.00



MODEL NO. : CO10210-24-0250
POWER : 250W
SIZE : L199xW109xH50
PRICE : 850.00



MODEL NO. : CO10210-24-050
POWER : 50W
SIZE : L110xW78xH42
PRICE : 420.00



MODEL NO. : CO10210-24-0360
POWER : 360W
SIZE : L215xW112xH50
PRICE : 1,200.00



MODEL NO. : CO10210-24-075
POWER : 75W
SIZE : W78xL110xH36
PRICE : 470.00



MODEL NO. : CO10210-48-0145
POWER : 145W
SIZE : L199xW97xH42
PRICE : 720.00



MODEL NO. : CO10210-24-0100
POWER : 100W
SIZE : L158xxH42
PRICE : 580.00



MODEL NO. : CO10210-48-0240
POWER : 240W
SIZE : L199xW109xH50
PRICE : 950.00



MODEL NO. : CO10210-24-0120
POWER : 120W
SIZE : W97xW97xL158xH42
PRICE : 670.00



MODEL NO. : CO10210-48-0360
POWER : 360W
SIZE : L215xW112xH50
PRICE : 1,200.00

POWER SUPPLY



MODEL NO. : C010210-48-0480
POWER : 480W
SIZE : L240xW122xH63
PRICE : 2,000.00



MODEL NO. : C010210-24-0150
POWER : 150W
SIZE : L225xW53.5xH20
PRICE : 1,290.00



MODEL NO. : C010210-48-0720
POWER : 720W
SIZE : L242xW131xH68
PRICE : 3,550.00



MODEL NO. : C010210-24-0200
POWER : 200W
SIZE : L215xW65xH30
PRICE : 1,670.00



MODEL NO. : C010210-24-010W
POWER : 10W
SIZE : L200xW30xH20
PRICE : 380.00



MODEL NO. : C010210-24-0300
POWER : 300W
SIZE : L235xW76xH36
PRICE : 1,990.00



MODEL NO. : C010210-24-024
POWER : 24W
SIZE : L200xW30xH20
PRICE : 470.00



MODEL NO. : C010210-24-0400
POWER : 400W
SIZE : L76xW76xH36
PRICE : 2,290.00



MODEL NO. : C010210-24-036
POWER : 36W
SIZE : L200xW30xH20
PRICE : 550.00










MODEL NO. : C010210-24-060
POWER : 60W
SIZE : L155xW44xH20
PRICE : 770.00



MODEL NO. : C010210-24-0100
POWER : 100W
SIZE : L180xW53.5xH20
PRICE : 1,050.00

WATERPROOF TYPE IP20-IP68

IP RATING	STRUCTURE	FEATURE	REMARK
IP20		Non Waterproof suitable	Indoor use Only
IP54		Nano Coating Waterproof	Thin Film Coating Anti Splash Water Tiny size Changed (Same looking as IP20)
IP65		Silicon Glue Coating Waterproof Suitable for Damp Location	Silicon Glue Dripping Dropping Anti splash Water Tiny Size Changed
IP67A		Silicon Extrusion Waterproof Suitable for Short-time wet Location	Extruding Process Immerse in Water for Long time tiny Color Shift
IP67B		Silicon Tube Waterproof Suitable for Damp Location	Silicon Empty inside Anti Spray Water Tiny Color Shift
IP67C		Silicon Extrusion Waterproof Suitable for Short-time wet Location	Extruding Process Immerse in Water for Long time tiny Color Shift
IP68		360 ° Silicon Filling Waterproof Suitable for Underwater	Use for outdoor and Underwater

IP code : Ingress Protection Marking, IEC standard 60529

